

CORRIGENDUM

DOI: 10.3892/etm.2018.6864

Influencing factors of transient elastography in detecting liver stiffness

RONG SHAN, HONG YIN, WENJUAN YANG, JIANZHI LI, MEIFANG ZHANG, MIN ZHAO, JIANG SHAO and AIGUANG WANG

Exp Ther Med 12: 2302-2306, 2016; DOI: 10.3892/etm.2016.3617

Subsequently to the publication of this article, the authors have realized that the order of the affiliations was presented incorrectly. The first affiliation should have been listed as the Department of Ultrasound, Shandong University, not as the Department of Ultrasound, Jinan Infectious Disease Hospital. The correct author affiliations for this article should therefore have been presented as follows:

RONG SHAN^{1,2}, HONG YIN³, WENJUAN YANG⁴, JIANZHI LI², MEIFANG ZHANG², MIN ZHAO², JIANG SHAO² and AIGUANG WANG⁵

¹Department of Ultrasound, Shandong University, Jinan, Shandong 250014; ²Department of Ultrasound, Jinan Infectious Disease Hospital, Jinan, Shandong 250021; ³Department of Ultrasound, Jinan Maternity and Child Care Hospital, Jinan, Shandong 250000; ⁴Department of Emergency, Jinan Center Hospital, Jinan, Shandong 250001; ⁵Department of Oncology, Qianfoshan Hospital Affiliated to Shandong University, Jinan, Shandong 250014, P.R. China

The authors apologize for this oversight on their part, and for any inconvenience caused.



This work is licensed under a Creative Commons Attribution 4.0 International (CC BY 4.0) License.