

CORRIGENDUM

DOI: 10.3892/ijo.2021.5210

High expression of FUSE binding protein 1 in breast cancer stimulates cell proliferation and diminishes drug sensitivity

WEI LIU, XIFENG XIONG, WEIGUANG CHEN, XIAOJIAN LI, XING HUA, ZHIHE LIU and ZHI ZHANG

Int J Oncol 57: 488-499, 2020; DOI: 10.3892/ijo.2020.5080

Subsequently to the publication of the above article, the authors have realized that they inadvertently uploaded an incorrectly labelled version of Fig. 5D; essentially, the row of data panels labelled as 'FBPI-KD' were the data derived from the experiments performed with the FBPI-C cells, and vice versa.

The revised and correctly labelled version of Fig. 5, showing the data obtained from the experiments for the FBPI-C and the FBPI-KD cells for Fig. 5D, is shown below. The authors are grateful to the Editor of *International Journal of Oncology* for allowing them this opportunity to publish a Corrigendum, and apologize to the readership for any inconvenience caused.



This work is licensed under a Creative Commons Attribution 4.0 International (CC BY 4.0) License.




Figure 5. Knockdown of FBPI enhances the sensitivity of TNBC MDA-MB-231 cells to cisplatin. (A-C) Viability of FBPI-C and FBPI-KD cells treated with the indicated concentrations of cisplatin for (A) 24, (B) 48 and (C) 72 h examined by MTS assay. (D) Colony formation of FBPI-C and FBPI-KD cells treated with the indicated concentrations of cisplatin for 48 h. Equal numbers of FBPI-C and FBPI-KD MDA-MB-231 cells were seeded onto 60-mm plates and incubated for 14 days (x1 magnification; diameter of the dish was 60 mm). *P<0.05, #P<0.01. FBPI-C, FBPI control; FBPI-KD, FBPI knockdown; FBPI, far upstream element binding protein 1.