

# Cancer research in Lebanon: Scope of the most recent publications of an academic institution (Review)

SAMAH TAWIL<sup>1</sup> and NADA KHADDAGE-SOBOH<sup>2</sup>

<sup>1</sup>School of Medicine; <sup>2</sup>Adnan Kassar School of Business, Lebanese American University, Beirut 1102 2801, Lebanon

Received November 28, 2022; Accepted June 9, 2023

DOI: 10.3892/ol.2024.14484

**Abstract.** Cancer may be considered one of the most interesting areas of study, and although oncology research has grown markedly over the last decade, there is as yet no known cure for cancer. The objective of the present review is to examine various approaches to cancer research from a single institution, summarize their key conclusions and offer recommendations for future evaluations. The review examined 72 cancer-associated studies that were published within six years from 2017 to 2022. Published works in the subject fields of ‘cancer’ or ‘oncology’ and ‘research’ that were indexed in Scopus and Web of Science were retrieved and sorted according to article title, author names, author count, citation count and key words. After screening, a total of 28 *in vitro*/animal studies and 46 patient-associated published studies were obtained. A large proportion of these studies comprised literature reviews (20/72), while 20 studies were observational in nature. The 72 publications included 23 in which various types of cancer were examined, while the remaining studies focused on specific types of cancer, including lung, breast, colon and brain cancer. These studies aimed to investigate the incidence, prevalence, treatment and prevention mechanisms associated with cancer. Despite the existence of extensive cancer research, scientists seldom contemplate an ultimate cure for cancer. However, it is crucial to continuously pursue research on cancer prevention and treatment in order to enhance the effectiveness and minimize potential side effects of cancer therapy.

## Contents

1. Introduction
2. Study retrieval
3. Study design and setting

4. Types of cancer and main endpoint
5. Detailed description of LAU cancer studies
6. Principal findings
7. Significance of the study and future implications for policy and practice
8. Conclusions

## 1. Introduction

Cancer poses an important global public health challenge and ranks as the second leading cause of death worldwide, following heart diseases. The American Association of Cancer Research states that the primary objective of the study of cancer is the development of safe and effective approaches for the prevention, detection, diagnosis, treatment and cure of this disease (1). Advancing the understanding of cancer, including its treatment options, preventive measures and psychological impact, is crucial for making substantial progress in the reduction of its profound human and economic toll on the well-being of patients. Enormous sums of money have been spent on cancer research worldwide (2). However, due to extensive exposure to numerous environmental chemicals in everyday life and the complex nature of chemical mixtures (3), it is challenging for long-term safety evaluations to provide perpetual true results concerning cancer diagnosis and treatment as well as accurate updates. An ultimate cure for cancer remains the top aim of numerous researchers (4). Despite the marked increase in cancer research and the substantial growth in the number of cancer survivors over the past three decades, it is undeniable that the global occurrence of this disease continues to rise (5). Regarding cancer survival, it has been reported that during the last decade half of the individuals diagnosed with cancer in England survived their disease for  $\geq 10$  years (6). While there have been numerous advancements in the pharmacological treatments of tumors, and new highly sensitive techniques for the early diagnosis of pathologies, including imaging, laboratory tests, tumor biopsy, endoscopic examination, surgery, genetic testing and microfluidic systems have been developed (7,8), a definite cure for cancer remains elusive. Nevertheless, researchers persist in their efforts to develop new and more effective treatments and preventive measures for cancer. For example, long-term epidemiological studies have identified specific risk factors, such as the maintenance of a healthy weight, avoidance of tobacco, limitation

---

*Correspondence to:* Dr Samah Tawil, School of Medicine, Lebanese American University, P.O. Box 13-5053, Chouran, Beirut 1102 2801, Lebanon  
E-mail: samah.tawil@lau.edu

**Key words:** cancer, research, evaluation, publications, recommendations

of alcohol intake and protection of the skin that, if reduced, can prevent the development of certain types of cancers (9,10). Moreover, cancer risk prediction models based on these epidemiologic data have identified the risk of an individual carrying a genetic mutation for a specific cancer, such as BRCA 1 and/or BRCA 2 (11). Additionally, several innovative treatments, including hormonal therapy, monoclonal antibodies and chimeric antigen receptor T-cell therapy (12), are already being used alongside more traditional cancer therapies. Research efforts are now particularly focused on the role of gene editing and nanoparticles in combating cancer cells (13). Furthermore, a recent breakthrough in our understanding of the regulatory functions of small RNAs, originally discovered in plants, is providing new insights into the biology of cancer (14). Despite the clear rational and contemporary interest in cancer research, its assessment comes with challenges. Firstly, despite the recent surge in interest, there remains a lack of knowledge regarding the most effective methods for conducting research assessments (15). Secondly, in 2020, updates on the diagnosis and treatment of cancer were negatively impacted by the coronavirus disease (COVID)-19 pandemic. Restrictive measures and the closure of healthcare settings during the pandemic led to limited access to care, resulting in delays to cancer diagnosis, treatment and research updates regarding cancer incidence and etiologies (16). In Lebanon, particularly at the Lebanese American University (LAU), several scientific studies were conducted to explore new cancer therapies and preventive measures (17-20). However, according to a 2021 report from the Global Cancer Observatory of the National Cancer Registry, there were 11,589 new cancer cases and 6,438 cancer-related deaths in Lebanon in 2020 (21). One notable finding is the absence of data on the survival rate of cancer cases in the official Lebanese registry maintained by the Lebanese Ministry of Public Health (22).

Hence, the objectives of the present review are to examine cancer research methodologies documented in LAU libraries, with a particular focus on publications following the outbreak of COVID-19, assess these methodologies, consolidate their key findings and provide recommendations for future assessments. The present study encompasses various aspects of cancer research, including fundamental laboratory investigations and human studies, as well as basic scientific and applied research. It encompasses research pertaining to pediatric or adult cancer, as well as studies spanning the nursing, medical and public health aspects of cancer research. Consequently, the study seeks to achieve the following: i) Identify existing literature reviews that document approaches to the assessment of research impact and summarize these approaches; ii) summarize the findings of each study based on different cancer types; and iii) make recommendations to steer future cancer research towards addressing the specific requirements of the Lebanese population.

## 2. Study retrieval

The present study focused on the analysis of publications from the LAU (Beirut, Lebanon) over the past 5 years, specifically from 2017 to 2022. These publications were selected as a representative sample of a Middle Eastern academic and medical research center. During this time period, the School

of Pharmacy and the School of Medicine at LAU actively participated in cancer research, conducted studies and stayed up-to-date with the latest advancements. The dataset used for analysis was obtained from SciVal ([https://libraries.lau.edu.lb/research/databases/?index=S#id\\_libdbform](https://libraries.lau.edu.lb/research/databases/?index=S#id_libdbform)), a research performance assessment tool that facilitates the analysis of data from Scopus and Web of Science (WOS). While there were variations in coverage between these two indices, the present study considered articles that appeared in both to provide a broader perspective on the correlation between citation count and author number. The study of published cancer research at LAU is based on the collaborative efforts between academic researchers and medical physicians. The search was initiated under 'all subject areas' and then proceeded using specific themes such as 'medicine' and 'cancer research'. Published works were also extracted with specific keywords such as 'neo\*', 'tumor', 'cancer', 'oncol\*', 'leukem\*', 'lymph\*', 'chemo\*' and 'radio\*' as individual topics. The search in the category 'institutions and groups' was limited to 'The Lebanese American University'; Lebanon was the country of choice in the category 'countries/regions' and the date limits were '2017-2022'. The data obtained from SciVal included i) article title, ii) author names, iii) author count, iv) citation count, v) field-weighted citation impact, and vi) CiteScore (CS). Bibliometric analysis was performed to compare the published works in the present study. In order to achieve this objective, the CS was used as the primary method for counting citations (23,24). The present review only included published articles and focused exclusively on peer-reviewed journals, even though the selection of journals may vary depending on the citation-based metric system being considered, resulting in different quartiles. No restrictions were made regarding author names and collaborations. Additionally, single- and hyper-authored publications, abstracts only, studies written in a language other than English, corrections to previous studies, errata, conference proceedings and book series were excluded.

Nearly all the published research from the specified years were included in the present study. To ensure accuracy and relevance, two independent reviewers conducted a thorough screening of all records based on the topic search. The screening process involved reviewing study titles for potential relevance to cancer research and examining the full-text articles for specific references to cancer.

## 3. Study design and setting

Between 2017 and 2022, a total of 2,137 research works by LAU were published in journals indexed in Scopus and WOS, covering various research fields. Out of these, 252 studies specifically focused on cancer research. Following the PRISMA guidelines, a thorough screening process was conducted based on the titles and abstracts of the publications as depicted in Fig. 1. After removing duplicates, corrections and errata, 124 papers remained for full-text review. Ultimately, 72 studies were deemed eligible and met the inclusion criteria. The number of publications gradually increased from 2017 until 2021, reaching its peak in 2020, when 26.3% of the studies were published and remained constant in 2021. However, the number of papers published dropped in 2022 (Fig. 2), comprising only 8.3% of the studies in this time




Figure 1. Diagram of the study selection process. LAU, Lebanese American University; WOS, Web of Science.




Figure 2. Percentage of cancer-associated publications per year.

period. Among the 72 publications, 25 focused on *in vitro* or animal studies, while 47 were patient-associated studies.

Considering the patient-associated studies, the highest proportion were literature reviews (18/72), followed by 5 systematic reviews, 1 meta-analysis and 22 observational studies of a cross-sectional, cohort or case-control nature. In addition, there was one interventional randomized controlled study. Fig. 3 provides an overview of the types of cancer studies reported by the LAU directory. Notably, two studies specifically targeted fetal cancer and metastasis, and involved pregnant women. Furthermore, five studies were conducted on the pediatric population.

#### 4. Types of cancer and main endpoint

The faculty at LAU conducted research on various types of cancer. Some of these studies specifically investigated new herbal treatments and examined their anticancer properties (7/72 publications). In total, 28 of the 72 publications examined multiple cancer types or cancer in general. The primary objectives of these studies were twofold: Firstly, to explore pharmacological mechanisms and highlight pathways for cancer prevention (39.1%); and secondly, to evaluate the

psychological challenges associated with cancer (30.4%). One study specifically focused on the identification of potential risk factors associated with cancer (5). The remaining studies each focused on specific types of cancer, such as lung, breast, colon or brain cancer. The main objectives of these studies were to investigate the incidence, prevalence, treatment options and prevention mechanisms for these specific types of cancer. Studies that focused on understanding the regulatory functions of small RNAs and human recombinant arginase I in the treatment of cancer constituted only 4.16% of all publications and were all published in 2020 (25-27). Additionally, several *in vitro* studies were conducted, which examined either a variety of cancer types or specific types of cancer. More comprehensive information on the various types of cancer researched is presented in Fig. 4.

#### 5. Detailed description of LAU cancer studies

In the LAU dataset of 72 cancer publications, 38.89% covered all types of cancer, as indicated in Table I (18,28-53), while the remaining 61.11% focused on specific oncological types, as shown in Table II (10,17,19,20,25-27,54-90). These two tables provide additional information about each study, including its main focus, aim/purpose, study type, the type of cancer studied and key findings. Moreover, Figs. 5 and 6 depict the trends of cancer studies in terms of study types and types of cancer, respectively, across the years.

#### 6. Principal findings

The aim of the present investigation was to assess the quantity and quality of cancer studies reported by the LAU and explore their respective objectives and areas of focus. The review encompasses *in vitro*, *in vivo* and animal studies. A relatively high number of literature reviews and a prevalence of observational studies over experimental ones were conducted. This finding may be expected since observational studies are generally easier to perform, more convenient and less stringent




Figure 3. Types of studies included in the Lebanese American University research directory between 2017 and 2022.




Figure 4. Types of cancer studied at the Lebanese American University between 2017 and 2022.

compared with interventional studies, although they carry a lower level of evidence (91).

The aims of the included studies varied, and in some cases it appeared that the main objective was solely descriptive. Therefore,

it is essential to conduct more interventional, experimental and well-controlled human studies that possess higher external validity and generalizability. Such studies would lead to more definitive conclusions and trustworthy recommendations (92).

Table I. Publications on miscellaneous types of cancer according to study type and date of publication.

| First author/s, year          | Study type                | Main focus                                | Observational/<br>interventional | Aim/purpose  | Main finding  | (Refs.) |
|-------------------------------|---------------------------|---|----------------------------------|--|---|---------|
| Khazzaka <i>et al.</i> , 2022 | Systematic review         | Incidence/<br>occurrence/<br>risk factors |                                  | Examination of the literature concerning placental and fetal metastases among pregnant women with cancer via the identification of clinical and pathological characteristics, treatment trends and prognosis | Fetal metastasis occurred mainly in patients with placental metastases derived from melanoma and lung cancer primaries and was associated with a dismal prognosis | (28)    |
| Atat <i>et al.</i> , 2022     | Literature review         | Anticancer updates                        | NA                               | Explain the importance of 3D culture in representing the tumor microenvironment as well as the effects of 3D cancer cells on the behavior, resistance, proliferation and metastasis of cancer                | 3D systems are currently used for disease modeling and pre-clinical drug testing  | (29)    |
| Sacca <i>et al.</i> , 2022    | Cross-sectional           | Qualitative                               | Observational                    | Evaluation of patient trust predictors when seeking cancer-related information from doctors and the internet   | The role of confidence in seeking cancer-related information consistently influences the levels of trust attributed to each source of information                 | (30)    |
| Karam <i>et al.</i> , 2021    | <i>In vitro</i><br>animal | MOA                                       | NA                               | Evaluation of the targeted effect of parthenolide <i>in vitro</i> and in animals, after extensive experiments targeting its anti-inflammatory and anticancer properties                                      | Supports the use of parthenolide and urges further clinical development   | (31)    |
| Hoteit <i>et al.</i> , 2021   | Literature review         | Anticancer updates                        | NA                               | Explain the immune-based mechanisms used in tumor cell proliferation and maintenance, as well as the rationale behind various treatment methods  | Immunotherapy used alone or in combination with various types of therapeutics has potential in cancer treatment   | (32)    |
| Jaafar <i>et al.</i> , 2021   | <i>In vitro</i>           | Safety                                    | NA                               | Collection of ambient particle-bound polycyclic aromatic hydrocarbons (PAH)  | Three major sources were found to contribute to PAH emissions at the urban  | (33)    |



Table I. Continued.

| First author/s, year         | Study type      | Main focus              | Observational/<br>interventional | Aim/purpose   | Main finding   | (Refs.) |
|------------------------------|-----------------|-------------------------|----------------------------------|---|--|---------|
| Chaftari <i>et al</i> , 2021 | Cross-sectional | Mortality               | Observational                    | in three Lebanese coastal cities and investigation of their cancer risk<br><br>Use of C-reactive protein, procalcitonin and lactate biomarkers of sepsis to create a prediction model for short-term mortality in patients with cancer and suspected infection    | background site, namely, traffic (48%), diesel generators (23%), and incineration (29%). The cancer risk was found higher than what was measured at the same site in previous years with an increase of 35%<br>A simple new scoring system for mortality prediction, based on readily available clinical and laboratory data, including procalcitonin, C-reactive protein and lactate was developed that can be used in emergency departments for patients with cancer and suspected infection | (34)    |
| Massoud <i>et al</i> , 2021  | Cross-sectional | Qualitative/<br>opinion | Observational                    | Evaluation of the healthy lifestyle practices recommended by hematologists/oncologists for patients during treatment. Correlational analysis between the hematologists/oncologists' sociodemographics and the lifestyle recommendations they provided to patients | Communication gaps between hematologists/oncologists and patients with cancer should be addressed, and solutions to identified barriers should be implemented to achieve higher quality patient-centered care  | (35)    |
| Alrubai <i>et al</i> , 2022  | Cross-sectional | Qualitative/<br>opinion | Observational                    | Assessment of the psychological health status, depression, anxiety and stress levels of patients with cancer in Iraq during the COVID-19  | Findings including the association between the development of new pain and depression, raised concerns regarding the   | (36)    |

Table I. Continued.

| First author/s, year          | Study type        | Main focus | Observational/<br>interventional | Aim/purpose  | Main finding   | (Refs.) |
|-------------------------------|-------------------|------------|----------------------------------|--|--|---------|
| Khaled <i>et al</i> , 2021    | Cross-sectional   | Validation | Observational                    | <p>pandemic, and the relationship between such factors and sociodemographic characteristics</p> <p>Validation of the EPIC FFQ in Lebanon</p>   | <p>psychological health of patients diagnosed with cancer during the COVID-19 pandemic</p> <p>EPIC FFQ can be considered a valid tool for the assessment of diet in epidemiological studies among Lebanese adults</p>  | (37)    |
| Al-Koussa <i>et al</i> , 2020 | Literature review | MOA        | NA                               | <p>Discussion of different arginine deprivation agents and their mechanism of action, stressing the factors that affect cell migration and the effect of arginine on metastases via polyamines</p> | <p><i>De novo</i> arginine synthesis is not sufficient to compensate for the high nutritional requirements of cancer cells, forcing them to rely on an extracellular supply of arginine</p> <p>CDK7 is uniquely involved in the transcription regulation and cell cycle progression in many types of cancer.</p> <p>CDK7 inhibitors have demonstrated a promising profile of safety with low grade side effects, and regimens against various advanced solid tumors are in place to assess their clinical efficacy as a single agent and in combination.</p> | (38)    |
| Diab <i>et al</i> , 2020      | Literature review | MOA        | NA                               | <p>Explain the roles of CDK7 in cancer cells and provide an overview of the pharmacophores of CDK7 inhibitors, their efficacy in various cancer models and clinical development</p>                | <p>CDK7 inhibitors have demonstrated a promising profile of safety with low grade side effects, and regimens against various advanced solid tumors are in place to assess their clinical efficacy as a single agent and in combination.</p>  | (39)    |

Table I. Continued.

| First author/s, year        | Study type        | Main focus                                | Observational/<br>interventional | Aim/purpose   | Main finding   | (Refs.) |
|-----------------------------|-------------------|---|----------------------------------|---|--|---------|
| Bechnak <i>et al</i> , 2020 | <i>In vitro</i>   | MOA                                       | NA                               | Study of the cytotoxicity of curcumin-based colloidal nanocapsules and investigation of whether anticancer activity is enhanced by curcumin encapsulation | A375 cells treated with the curcumin colloidal nanocapsules showed a significant increase in single- and/or double-strand DNA breaks upon exposure to light, indicating promising biological effects   | (40)    |
| Hrusak <i>et al</i> , 2020  | Cross-sectional   | Incidence/<br>occurrence/<br>risk factors | Observational                    | Investigation of COVID-19 incidence and severity among children on anticancer treatment through a survey distributed virtually over 25 countries          | Children receiving anticancer chemotherapy may have a mild or asymptomatic course of COVID-19. While the risk of developing a more severe course of COVID-19 should not be underestimated, the intensity of preventive measures should not cause delays or obstructions to oncological treatment | (41)    |
| Nassour <i>et al</i> , 2020 | Systematic review | Anti-cancer updates/<br>waste             | NA                               | Systematic review of anticancer drugs in the aquatic environment  | Significant heterogeneity within methodologies made it challenging to compare results and draw conclusions. Nevertheless, the study aids the evaluation of proposed recommendations to guide future studies and reviews  | (42)    |
| Mehanna <i>et al</i> , 2020 | <i>In vitro</i>   | MOA                                       | NA                               | Optimization and validation of a facile liquid chromatography-tandem mass spectrometry method to detect and quantify three                                | The method was advantageous compared with prototypical inductively coupled plasma-mass   | (43)    |



Table I. Continued.

| First author/s, year        | Study type        | Main focus | Observational/<br>interventional | Aim/purpose   | Main finding  | (Refs.) |
|-----------------------------|-------------------|------------|----------------------------------|---|---|---------|
| Assi <i>et al</i> , 2020    | Literature review | MOA        | NA                               | Ru(II) polypyridyl complexes in cells, plasma and urine<br><br>Discussion of the major resistance patterns and outcomes associated with the use of prior targeted therapies in two oncological solid tumors | spectrometry-based techniques <i>in vitro</i> and <i>in vivo</i> , which anticipates its utilization in cellular uptake, pharmacokinetics and pharmacodynamics studies<br>Collaborative efforts at the molecular level are advancing the design of improved drugs or combinatorial strategies and the development of more sensitive assays to monitor responses and resistance<br>The Rho GTPases are among the most important molecules for signal transduction in cancer cells. They regulate cytoskeleton remodeling, proliferation, and migration among others. VEGF controls angiogenesis and vascular permeability of endothelial cells and acts downstream of Rho GTPase-related signaling. The role of Rho GTPases, in the regulation of angiogenesis by modulating the expression of VEGF or regulating tube formation has been well established | (44)    |
| El Baba <i>et al</i> , 2020 | Literature review | MOA        | NA                               | Evaluation of how Rho GTPases regulate VEGF signaling and the outcomes of this interaction on the progression of cancer   |   | (45)    |

Table I. Continued.

| First author/s, year         | Study type      | Main focus              | Observational/<br>interventional | Aim/purpose  | Main finding  | (Refs.) |
|------------------------------|-----------------|-------------------------|----------------------------------|--|---|---------|
| Elias <i>et al</i> , 2019    | <i>In vitro</i> | MOA                     | NA                               | Isolation of <i>Cedrus libani</i> extract 7-HC and investigation of its anticancer and antiinflammatory activities   | 7-HC possesses promising anticancer and anti-inflammatory activities, and may serve as a lead molecule in cancer therapy  | (18)    |
| Doumit <i>et al</i> , 2019   | Cross sectional | Qualitative/<br>opinion | Observational                    | Exploration of spirituality and its positive effect on the family caregivers of children with cancer in Lebanon  | As the first study in the Middle East to address the meaning of spirituality in this population, may pave the way for a customized palliative care program and integrative approach to patient care   | (46)    |
| Bar-Sela <i>et al</i> , 2019 | Cross sectional | Qualitative/<br>opinion | Observational                    | Study of the barriers to staff providing spiritual care to patients, based on the observation that decreased usage of aggressive treatments at the end of life occurs when patients feel spiritually supported. Analyzed a subgroup of physicians and nurses whose inclination to provide improved spiritual care provision was unrealized | Despite relatively high levels of spiritual care provision, there is a gap between desirability and actual provision due to certain barriers, such as inadequate training of healthcare professionals and lack of space for appropriate discussions | (47)    |
| Hageh <i>et al</i> , 2018    | <i>In vitro</i> | MOA                     | NA                               | Investigation of a series of sterically encumbered Cu(I) bis-phenanthroline complexes for use in PCT   | The photocytotoxicity of these long-lived cuprous phenanthroline complexes was successfully demonstrated, suggesting that this class of photosensitizers may be exploited for PCT applications  | (48)    |

Table I. Continued.

| First author/s, year         | Study type        | Main focus          | Observational/<br>interventional | Aim/purpose  | Main finding  | (Refs.) |
|------------------------------|-------------------|---------------------|----------------------------------|--|---|---------|
| Moghnieh <i>et al</i> , 2017 | Literature review | Guidelines/updates  | NA                               | Provide guidelines on the management of infections in patients with febrile neutropenia in an era of rising antimicrobial resistance, devised by panel members on behalf of the Lebanese Society of Infectious Diseases and Clinical Microbiology. These are expected to support care providers by providing standardized care processes | Various factors play a role in the management of febrile neutropenia in patients with cancer, including local microbiology epidemiology and the availability of diagnostic tests and antimicrobial agents   | (49)    |
| Doumit and Khoury, 2017      | Cross-sectional   | Qualitative/opinion | Observational                    | Investigation of the factors facilitating and hindering the coping methods of Lebanese parents of a child with cancer  | The enabling factors were social/family support; talking about it; strong religious beliefs; and the communication style of health workers. On the other hand, the deterring factors were the waiting time and the hospital stay; changes in the couple's relationship; and sibling rivalry. Nursing and medical staff need to be conscious of parents' coping strategies and their impact on family dynamics and the relationship between the family and the health care team. | (50)    |

Table I. Continued.

| First author/s, year         | Study type                  | Main focus              | Observational/<br>interventional | Aim/purpose  | Main finding   | (Refs.) |
|------------------------------|-----------------------------|-------------------------|----------------------------------|--|--|---------|
| Razik <i>et al</i> , 2017    | <i>In vitro</i> /<br>animal | MOA                     | NA                               | Synthesis of two series of new purine bioisosteres comprising a pyrazol (3,4-d)pyrimidine scaffold linked to piperazine moiety through different amide linkages and evaluation of their anticancer activity                            | Certain pyrazolopyrimidine derivatives possessed <i>in vitro</i> anti-inflammatory and anticancer activities                                 | (51)    |
| Liu <i>et al</i> , 2021      | Literature review           | MOA                     | NA                               | Review of the roles of divalent metal ions in the inhibition of IDH, their role in the tricarboxylic acid cycle and the associated metabolism  | Demonstrates the importance of substrate-metal ion complexes in R132H IDH1 catalysis and the basis for selective R132H IDH1 inhibition       | (52)    |
| Bar-Sela <i>et al</i> , 2019 | Cross-sectional             | Qualitative/<br>opinion | Observational                    | Survey of physicians and surgeons from the Middle East to investigate the linkage between attitudes to spiritual care and the spiritual care of patients with cancer   | Development level of a country is a key factor influencing attitudes toward spiritual care and its actual provision                          | (53)    |
| Assi <i>et al</i> , 2020     | Cross sectional             | Qualitative/<br>opinion | Observational                    | Assessment of whether molecular profiling helps physicians in therapeutic decision making via the analysis of molecular profiles of cancer after the failure of at least one standard-of-care treatment using NGS, IHC and other tests | NGS combined with IHC/other tests provides useful information for aiding the treatment decisions of oncologists in routine clinical practice | (44)    |

3D, 3-dimensional; NA, not applicable; MOA, mechanism of action; COVID, coronavirus disease; EPIC FFQ, European Prospective Investigation into Cancer Food Frequency Questionnaire; VEGF, vascular endothelial growth factor; 7-HC, 7-himachalen-7-ol; PCT, photochemotherapy; IDH, isocitrate dehydrogenase; NGS, next-generation sequencing; IHC, immunohistochemistry.

Table II. Publications on specific cancer types according to study type and date of publication.

| Study                          | Cancer type | Study type                          | Main focus                               | Observational/<br>interventional | Aim/purpose  | Main finding  | (Refs.) |
|--------------------------------|-------------|-------------------------------------|--|----------------------------------|--|---|---------|
| Jayaraj <i>et al</i> , 2020    | Prostate    | Systematic review/<br>meta-analysis | MOA                                      | NA                               | Systematic review and meta-analysis of the therapeutic effects of miRNA and the utility of miRNAs as clinical theragnostic biomarkers  | The expression of specific miRNAs as theragnostic biomarkers in medical oncology was suggested  | (25)    |
| Khalife <i>et al</i> , 2020    | Breast      | Literature review                   | MOA                                      | NA                               | Review of miRNAs involved in BC, highlighting their effect on drug and therapy resistance  | Specific miRNAs were shown to be up- or downregulated in BC   | (26)    |
| Elias-Rizk <i>et al</i> , 2020 | Breast      | Cross-sectional                     | MOA                                      | Observational                    | Evaluation of various lncRNA H19 threshold levels in normal vs. proliferative and malignant tissues, and investigation of the link between such levels and BC classification | LncRNA H19 could be a potential marker for BC diagnosis, prognosis and risk management  | (27)    |
| Chemaly <i>et al</i> , 2022    | Gastric     | Systematic review                   | Incidence/<br>occurrence/<br>risk factor | NA                               | Comparative analysis of data on gastroesophageal cancer occurrence after gastric bypass procedures   | Gastroesophageal cancers after gastric bypass procedures occur commonly in the excluded stomach where many are not identified by conventional means               | (54)    |
| Assouad <i>et al</i> , 2022    | Kidney      | Cross-sectional                     | Incidence                                | Observational                    | Analysis of kidney cancer occurrence in Lebanon over 12 years and a comparative analysis with other countries  | Lebanon presented an average-to-high ASR for kidney cancer compared with other countries in its region, but a below-average ASR compared with countries worldwide | (55)    |

Table II. Continued.

| Study                       | Cancer type | Study type      | Main focus                        | Observational/<br>interventional | Aim/purpose   | Main finding  | (Refs.) |
|-----------------------------|-------------|-----------------|-----------------------------------|----------------------------------|---|---|---------|
| Swayden <i>et al</i> , 2021 | Colorectal  | <i>In vitro</i> | MOA                               | NA                               | Testing the therapeutic potential of targeting colon cancer cells via arginine deprivation induced by HuArgI(Co)-PEG5000  | Colon cancer cells are partially auxotrophic for arginine and sensitive to HuArgI(Co)-PEG5000-induced arginine deprivation<br>Activation of autophagy is not protective, but induces cytotoxicity and leads to cell death | (56)    |
| Nader <i>et al</i> , 2021   | Breast      | Case report     | Safety                            | Observational                    | Description of a case of immune-mediated encephalitis and a literature review of the neurological immune-related adverse events associated with various checkpoint inhibitors | Early recognition of the side effects and their treatment is crucial  | (57)    |
| Chatila <i>et al</i> , 2021 | Colorectal  | Cross-sectional | Incidence/occurrence/demographics | Observational                    | Demographical description of Lebanese patients with CRC. The method of detection, age of onset, stage at presentation, treatment modalities and survival rate are detailed    | Lebanese patients affected by CRC tend to present with advanced disease stages, leading to poor prognosis and survival  | (10)    |
| El-Mais <i>et al</i> , 2021 | Pancreatic  | <i>In vitro</i> | MOA                               | NA                               | Examination of the effects of arginine depletion induced by HuArgI(Co)-PEG5000 on PANC-1 cell migration, adhesion and invasion  | HuArgI (Co)-PEG5000 shows promising results for arginine depletion in the treatment of pancreatic cancer cells  | (58)    |



Table II. Continued.

| Study                         | Cancer type | Study type        | Main focus                                | Observational/<br>interventional | Aim/purpose  | Main finding   | (Refs.) |
|-------------------------------|-------------|-------------------|---|----------------------------------|--|--|---------|
| El-Saghir <i>et al</i> , 2021 | Breast      | Literature review | Qualitative/<br>opinion                   | NA                               | Explorative commentary presenting the challenges of oncologists in the diagnosis and management of BC with BRCA gene mutations in Lebanon and the Middle East                | Genetic counseling, continuing education, infrastructure, testing, expertise and financial support are required to fulfill unmet needs in the management of BRCA mutation carriers                                   | (17)    |
| Khater and Abou-Antoun, 2021  | CNS         | Literature review | Anticancer updates                        | NA                               | Elaboration of the interventions that may contribute to the clinical therapeutic resistance observed in pediatric CNS tumors during medical trials of c-Met targeting agents | Potential mechanisms include the overexpression and activation of compensatory tumorigenic mechanisms within the tumors or ineffective drug delivery methods   | (59)    |
| Atallah <i>et al</i> , 2021   | Ovarian     | Cross-sectional   | Incidence/<br>occurrence/<br>risk factors | Observational                    | Testing the rate, repartition and risk factors of lymph node metastasis in patients with epithelial ovarian cancer   | Serous histology, grade 3 tumors, positive peritoneal cytology, advanced clinical stage, interval surgery and bilateral adnexal involvement predict lymph node metastasis in patients with epithelial ovarian cancer | (60)    |

Table II. Continued.

| Study                        | Cancer type     | Study type      | Main focus | Observational/<br>interventional | Aim/purpose   | Main finding  | (Refs.) |
|------------------------------|-----------------|-----------------|------------|----------------------------------|---|---|---------|
| El-Chami <i>et al</i> , 2021 | Breast          | <i>In vitro</i> | MOA        | NA                               | Evaluation of the effect of LeTx on the migration, adhesion and invasion of BC cells, and its potential mechanism involving the dysregulation of the Rho GTPases RhoA and Cdc42 | LeTx treatment reduced the migration, adhesion and invasion of BC cells, and this effect was associated with the dysregulation of RhoA and Cdc42  | (61)    |
| Hilal <i>et al</i> , 2021    | Colorectal      | Cross sectional | Survival   | Observational                    | Comparative study of rectal cancer tumor characteristics and outcomes in patients older or younger than 40 years in a Lebanese institution                                      | In younger patients a worse disease-free survival and evidence of an association between younger age at diagnosis and poor outcomes was observed, suggesting that the personalized upfront intensification of treatment should be considered in the young | (62)    |
| Jaafar <i>et al</i> , 2021   | Prostate        | <i>In vitro</i> | MAO        | NA                               | Evaluation of the role of StarD13 and how it targets and interacts with cancer molecules  | StarD13 acts as a tumor suppressor that inhibits the invasion of PCa cells  | (63)    |
| Fayad <i>et al</i> , 2021    | Lung and breast | <i>In vitro</i> | MAO        | NA                               | Investigation of the photochemistry and effect of four strained photoactivatable polypyridyl ruthenium(II) complexes on A549 NSCLC and MDA-MB-231 triple negative BC cells      | Complex C3 was observed to be a promising selective photoactivatable chemotherapeutic agent that induces reactive oxygen species production and apoptosis   | (64)    |

Table II. Continued.

| Study                          | Cancer type | Study type        | Main focus         | Observational/<br>interventional | Aim/purpose  | Main finding  | (Refs.) |
|--------------------------------|-------------|-------------------|--------------------|----------------------------------|--|---|---------|
| Bahmad <i>et al</i> , 2021     | CNS         | <i>In vitro</i>   | MOA                | NA                               | Testing the potential antitumor effect of tideglusib on three human neuroblastoma cell lines, SK-N-SH, SH-SY5Y and IMR-32  | Tideglusib targeted neuroblastoma CSCs, thereby overcoming therapy resistance   | (19)    |
| Khalil and Abi-Habib, 2020     | Pancreatic  | <i>In vitro</i>   | MOA                | NA                               | Evaluation of the sensitivity of pancreatic cancer cells to HuArgI(Co)-PEG5000-induced arginine deprivation and the mechanisms underlying deprivation-induced cell death | Pancreatic cancer cells are auxotrophic for arginine and sensitive to HuArgI(Co)-PEG5000-induced arginine deprivation                         | (65)    |
| Idriss <i>et al</i> , 2020     | Breast      | <i>In vitro</i>   | MOA                | NA                               | Investigation of the antiproliferative effects and pro-apoptotic mechanisms of $\beta$ -T3 on the human breast adenocarcinoma cell lines MDA-MB-231 and MCF7             | Vitamin E family member $\beta$ -T3 is as a promising anticancer agent that is more effective than $\gamma$ -T3 for the treatment of human BC | (66)    |
| Nasreddine <i>et al</i> , 2020 | Ovarian     | <i>In vitro</i>   | MOA                | NA                               | Assessment of arginine auxotrophy in ovarian cancer cells through the induction of arginine deprivation by HuArgI(Co)-PEG5000  | Activation of autophagy following arginine-deprivation, is not protective and mediates cell cytotoxicity leading to death by autophagy        | (67)    |
| Bahmad <i>et al</i> , 2020     | CNS         | Literature review | Anticancer updates | NA                               | Summary of drug repurposing methodologies adopted to cure pediatric brain tumors and discussion of compilation   | Drug repurposing or repositioning is a promising approach for the identification of novel therapeutic   | (68)    |

Table II. Continued.

| Study                       | Cancer type | Study type                  | Main focus | Observational/<br>interventional | Aim/purpose   | Main finding   | (Refs.) |
|-----------------------------|-------------|-----------------------------|------------|----------------------------------|---|--|---------|
| Tfayli <i>et al</i> , 2020  | Lung        | Randomized<br>controlled    | Treatment  | Interventional                   | approaches that may elevate drug repurposing to an advanced level<br><br>Assessment of the benefits of immune checkpoint inhibitors in the neoadjuvant therapy of patients with early-stage NSCLC | strategies to target brain tumors and overcome therapy resistance<br><br>The addition of immunotherapy to chemotherapy did not appear to enhance the overall response rate in patients with resectable NSCLC in the neoadjuvant setting as the study failed to meet its primary endpoint | (20)    |
| Joumaa <i>et al</i> , 2020  | Colorectal  | <i>In vitro</i> /<br>animal | MOA        | NA                               | Testing the effect of aqueous chamomile extract against DMH-induced CRC in mice   | Chamomile acts as a potent dietary chemopreventive agent against DMH-induced CRC   | (69)    |
| Tannous <i>et al</i> , 2020 | Leukemia    | <i>In vitro</i>             | MOA        | NA                               | Investigation of the potential anticancer effect of the flaxseed lignans secoisolariciresinol diglucoside, enterodiol and ENL on AML cells <i>in vitro</i> and the underlying molecular mechanism | ENL exerts promising anticancer effects on AML cell lines <i>in vitro</i> , by promoting DNA fragmentation and the intrinsic apoptotic pathway, highlighting the protective health benefits of flax seeds in leukemia  | (70)    |
| Younes <i>et al</i> , 2020  | Breast      | <i>In vitro</i>             | MOA        | NA                               | Evaluation of the potential anticancer activity of AELE <i>in vitro</i> in MDA-MB-231 and MCF-7 BC  | AELE exhibits a selective antiproliferative and pro-apoptotic  | (71)    |

Table II. Continued.

| Study                         | Cancer type | Study type           | Main focus                                | Observational/<br>interventional | Aim/purpose   | Main finding   | (Refs.) |
|-------------------------------|-------------|----------------------|---|----------------------------------|---|--|---------|
| Ghali <i>et al</i> , 2019     | Breast      | Case-control         | Incidence/<br>occurrence/<br>risk factors | Observational                    | cell lines, and<br>determination of the<br>toxicity level in normal<br>mesenchymal stem cells   | effect on chemo-<br>resistant MDA-<br>MB-231 BC cells,<br>providing evidence<br>for the antitumor<br>effects of <i>A. cherimola</i><br>Reveals the positive<br>association of<br>rs3774937 with BC | (72)    |
| Bahmad <i>et al</i> , 2019    | CNS         | Literature<br>review | MOA                                       | NA                               | Exploration of the<br>contribution of NF-κB<br>variants to the pathogenesis<br>of BC in a Middle Eastern-<br>North African population<br>Summary of the key<br>molecules in neuroblastoma<br>CSCs | Experimental<br>evidence from<br>neuroblastoma cell<br>lines, patient-<br>derived xenografts<br>and primary tumors<br>is presented   | (73)    |
| Al-Koussa <i>et al</i> , 2019 | Colorectal  | <i>In vitro</i>      | MOA                                       | NA                               | Testing the cytotoxic effect<br>of HuArgI(Co)-PEG5000<br>on the CRC cell lines HT-29,<br>Caco-2 and Sw837   | Arginine depletion<br>is a potential selective<br>approach for inhibiting<br>the motility and<br>invasion of CRC cells   | (74)    |
| Henaine <i>et al</i> , 2019   | Colorectal  | Cohort               | Anticancer<br>treatment                   | Observational                    | Evaluation of the clinical<br>effectiveness of targeted<br>therapy in patients with<br>metastatic CRC in<br>Lebanese oncologic units<br>and an estimation of the<br>costs                         | Targeted therapy<br>associated with<br>standard therapy is<br>highly prevalent in<br>Lebanon in<br>metastatic disease<br>and the associated<br>medical cost is<br>substantial                      | (75)    |
| Cianci <i>et al</i> , 2019    | Ovarian     | Systematic<br>review | Incidence/<br>occurrence/<br>risk factors | NA                               | Review of evidence<br>describing the association<br>of sarcopenia with  | Sarcopenia appears<br>to have an important<br>role in the  | (76)    |

Table II. Continued.

| Study                         | Cancer type | Study type        | Main focus         | Observational/<br>interventional | Aim/purpose  | Main finding   | (Refs.) |
|-------------------------------|-------------|-------------------|--------------------|----------------------------------|--|--|---------|
| Najem <i>et al.</i> , 2019    | Colorectal  | <i>In vitro</i>   | MOA                | NA                               | surgical and oncological outcomes in patients with ovarian cancer<br>Evaluation of the effect of SAHA, a pan-histone deacetylase inhibitor and/or DAC, a DNA methyltransferase inhibitor, on the Caco-2 human colon cancer cell line <i>in vitro</i> | oncological outcomes of patients with ovarian cancer<br>Profound antitumorigenic effects of sequentially combined SAHA and DAC were found in the CRC cell line and new insights into the corresponding molecular mechanism were obtained | (77)    |
| El-Amm and Aragon-Ching, 2019 | Prostate    | Literature review | Anticancer updates | NA                               | Reviews the pivotal clinical trials that supported the approval of apalutamide and enzalutamide in the non-nmCRPC setting as well as the main potential and challenges of these agents   | Apalutamide and enzalutamide are new anti-androgen treatment options in the nmCRPC setting   | (78)    |
| Hoter <i>et al.</i> , or 2019 | Prostate    | Literature review | MOA                | NA                               | Reviews the functions and role of HSPs in PCa progression  | HSPs may have a role in PCa progression and it is necessary to further evaluate the approach of HSP inhibition as a cancer treatment strategy  | (79)    |
| Al Saud <i>et al.</i> , 2018  | Breast      | Systematic review | Safety             | NA                               | Explanation of the flap sensory reinnervation mechanism  | Zoster reactivation in breast reconstructed patients objectively   | (80)    |



Table II. Continued.

| Study                         | Cancer type | Study type      | Main focus                                | Observational/<br>interventional | Aim/purpose  | Main finding  | (Refs.) |
|-------------------------------|-------------|-----------------|---|----------------------------------|--|---|---------|
| Bedoui <i>et al</i> , 2018    | Colorectal  | Case-control    | Incidence/<br>occurrence/<br>risk factors | Observational                    | of the reconstructed breast based on clinical findings, and provision of a diagnostic and management algorithm for zosteriform rash in patients with breast cancer<br><br>Investigation of the association of six IL-17A gene variants (rs3819024, rs2275913, rs3819025, rs10484879, rs7747909 and rs3748067) with CRC susceptibility in a Tunisian population | demonstrates reinnervation of the skin flap<br><br>IL-17A rs10484879 single nucleotide polymorphism and IL-17A haplotypes AGTG and GAGTG constitute independent factors for CRC susceptibility. IL-17A may be a target for future CRC immunotherapy   | (81)    |
| Ghali <i>et al</i> , 2018     | Breast      | Case-control    | Incidence/<br>occurrence/<br>risk factors | Observational                    | Evaluation of the relationships among estrogen receptor ESR1 and ESR2 variants, breast cancer and associated features in Tunisian women  | ESR1 alleles and genotypes, and specific 3-locus ESR1 haplotypes are associated with increased breast cancer susceptibility in Tunisian women<br>However, the ESR2 variant and specific 1-locus ESR1 haplotype have a protective effect<br>Metformin demonstrates anti-invasive antimetastatic potential. There was a | (82)    |
| Al Hassan <i>et al</i> , 2018 | CNS         | <i>In vitro</i> | MOA                                       | NA                               | Investigation of the anti-invasive antimetastatic effect of metformin on   |   | (83)    |

Table II. Continued.

| Study                                | Cancer type | Study type                  | Main focus          | Observational/<br>interventional | Aim/purpose   | Main finding  | (Refs.) |
|--------------------------------------|-------------|-----------------------------|---------------------|----------------------------------|---|---|---------|
| Nader <i>et al.</i> , 2018           | Prostate    | Literature review           | Anti-cancer updates | NA                               | glioblastoma multiforme and its mechanism of action   | significant decrease in the survival of SF268 cancer cells in response to treatment with metformin. Furthermore, metformin's efficiency in inhibiting 2D cell motility and cell invasion in addition to increasing cellular adhesion was also demonstrated in SF268 and U87 cells   | (84)    |
| Daaboul <i>et al.</i> , 2017         | Colorectal  | <i>In vitro</i> /<br>animal | MOA                 | NA                               | Provision of a historical summary and explanation of the contemporary use of chemotherapeutic agents in PCa in various states and phases of the disease<br>Investigation of the anticancer activity of <i>Daucus carota</i> oil extract<br>HC against SW1116 colon cancer cell lines, and evaluation its effect in a DMH-induced colon carcinogenesis model in black 6 mice | Promising results in locally advanced PCa and high-risk PCa have been obtained in the neoadjuvant and adjuvant settings<br><br>Low dose HC treatment induced cell cycle arrest and promoted apoptosis via inhibition of the MAPK/ERK and PI3K/AKT pathways.<br>HC treatment exerted an antitumor effect <i>in vivo</i> with no significant toxicity to the mice | (85)    |
| Abou-<br>Antoun <i>et al.</i> , 2017 | CNS         | Literature review           | Anti-cancer updates | NA                               | Review of the progress in CSC biology and its   | CSC-targeting approaches in   | (86)    |

Table II. Continued.

| Study                       | Cancer type | Study type        | Main focus         | Observational/<br>interventional | Aim/purpose  | Main finding  | (Refs.) |
|-----------------------------|-------------|-------------------|--------------------|----------------------------------|--|---|---------|
| Najar <i>et al.</i> , 2017  | Breast      | <i>In vitro</i>   | MOA                | NA                               | Investigation of the role of bone marrow-derived MSCs in the mediation of selective bone metastasis by BC cells  | association with targeted therapies that may clearly differ between pediatric and adult brain tumors<br><br>combination with current clinical therapies have the potential to be more effective owing to their ability to compromise CSC maintenance<br>MSCs strongly contribute to the adaptation and invasiveness of BC cells in skeletal tissues | (87)    |
| Salem <i>et al.</i> , 2017  | Breast      | Cross-sectional   | Diagnosis          | Observational                    | Analysis of the breast mammogram density distribution in Lebanese women and its correlation with BC incidence  | Breast density distribution in Lebanon is similar to that in western society. Also, similar to other studies, it showed that high breast density is statistically associated with BC, particularly in older and menopausal women  | (88)    |
| El-Amm <i>et al.</i> , 2017 | Prostate    | Literature review | Anticancer updates | NA                               | Examination of the companion PROs in conjunction with abiraterone acetate use, as PROs are increasingly considered as a key metric for drug label claims when regulatory agencies grant approval | Abiraterone has shown benefits in the second- and first-line (post- and pre-chemotherapy) settings, with improvements in overall survival and secondary end points such as PSA and radiographic   | (89)    |

Table II. Continued.

| Study                       | Cancer type | Study type                  | Main focus | Observational/<br>interventional | Aim/purpose   | Main finding  | (Refs.) |
|-----------------------------|-------------|-----------------------------|------------|----------------------------------|---|---|---------|
| Shebavy <i>et al</i> , 2017 | Skin        | <i>In vitro</i> /<br>animal | MOA        | NA                               | Examination of the cytotoxic effect of <i>Daucus carota</i> oil fractions on human epidermal keratinocytes and the chemopreventive activity of the pentane diethyl ether fraction on DMBA/TPA-induced skin carcinogenesis in mice | response rates, time to PSA progression and progression-free survival<br>The F2 fraction exhibited marked antitumor activity against DMBA/TPA-induced skin carcinogenesis, possibly mediated through inhibition of the MAPK/ERK and PI3K/AKT pathways | (90)    |

NA, not applicable; ASR, age-standardized rate; MOA, mechanism of action; HuArgI (Co)-PEG5000, pegylated cobalt-substituted recombinant human arginase I; CRC, colorectal cancer; BC, breast cancer; CNS, central nervous system; LeTx, anthrax lethal toxin; PCa, prostate cancer; NSCLC, non-small cell lung cancer; CSCs, cancer stem cells; T3, tocotrienol; miRNA, microRNA; DMH, 1,2-dimethyl hydrazine; ENL, enterolactone; AML, acute myeloid leukemia; lncRNA long non-coding RNA; AELE, Annona cherimola ethanolic leaf extract; SAHA, suberoylanilide hydroxamic acid; DAC, decitabine; nmCRPC, metastatic castration-resistant PCa; HSP, heat shock protein; IL, interleukin; HC,  $\beta$ -2-himachalen-6-ol; MSCs, mesenchymal stromal cells; PROs, patient-related outcomes; PSA, prostate-specific antigen; DMBA, dimethylbenzanthracene; TPA, tetradecanoylphorbol acetate.




Figure 5. Cancer study types at the Lebanese American University between 2017 and 2022.




Figure 6. Different types of cancer studied at the Lebanese American University between 2017 and 2022.

The present analysis reveals that researchers at the LAU who are interested in cancer have focused on a variety of research areas. The most common type of study involved laboratory experiments, namely *in vitro* studies, which accounted for more than one-third of the LAU studies. Animal models are important tools in cancer research *in vitro* and *in vivo*, as they can be used in the identification of carcinogens, development of cancer therapies and drug screening, and for providing insights into the molecular mechanisms of tumor growth and metastasis (93). In addition, they are easy to manipulate,

homogenous, accessible and do not require human participants (94). The latter point was highlighted in the present study, which showed that this type of study was most prevalent during 2020-2021, during the era of COVID-19.

Special updates and reviews on novel anticancer therapies were also shown to be prevalent in the present study. Notably, these findings, particularly those concerning the regulatory roles of small RNAs, have provided new insights to improve the global understanding of cancer biology. Although these types of studies were the most prevalent during the year 2020,

prior to the spread of COVID-19 and the economic crisis that impacted research funding negatively in Lebanon, in coming years, broader revelations about fundamental aspects of cellular biology are likely to increase our understanding of the aberrant behavior of cancer cells and notably contribute to the advancement of biomedical research (14). In addition to anticancer treatment, other studies had additional objectives, such as determining the incidence and prevalence of specific types of cancer, identifying risk factors associated with certain cancers and exploring their socio-economic and psychological impacts. Indeed, the diverse range of findings from these studies on cancer underscores the broad spectrum of interest of researchers to this field and emphasizes the requirement for well-balanced, patient-centric research strategies that can yield improved outcomes and higher cure rates (95).

Just a few decades ago, clinical investigators and physicians were often advised to refrain from engaging in oncology due to its complexity and the discouraging clinical outcomes it yielded. Additionally, conducting cancer research required significant financial investment and relied on patients dedicating their time and effort (96). Currently, the primary challenge lies in the development of fundamental research on cancer prevention and treatment to impede the occurrence of new cases and reduce the global incidence of cancer.

Although the annual output of cancer research appears to be low when compared with that of other publications on different research subjects, a sharp increase in the number of cancer publications was noticed during the years of 2018 and 2019 in the present study. This underlines the increased involvement of LAU scholars in research as the aim of expanding the number of publications and citations, as well as the support offered by the academic institution as an incentive, seems to have had a positive impact on the publication rate of papers on cancer. In fact, Boutros and Fakih (97) argued in their recent publication that the number of academic publications was associated with academic promotion across all institutional settings. The authors also concluded that the positive consequences of the number of publications of each faculty member suggests that this factor should be a priority for administrators to consider when making decisions regarding promotion. LAU is a leading private and nonsectarian higher education institution that operates under a charter from the Board of Regents of the University of the State of New York, and has a large publication volume relative to its faculty size, which makes it an ideal source of relevant information (98). In terms of quality, LAU provides incentives for researchers to publish their studies in the top 10% of international journals; thus, LAU is a research-active institution of higher learning in Lebanon and the region, with no compromise in its commitment to quality teaching (99). Moreover, the urgency of conducting cancer research has escalated due to the high prevalence of cancer worldwide, with approximately one in two individuals receiving a cancer diagnosis in their lifetime (100). Despite current treatments, cancer-associated mortality and morbidity rates remain high (6). This global situation mirrors the situation in Lebanon, as indicated by the 2021 report from the Global Cancer Observatory of the National Cancer Registry, which revealed an increase in cancer cases despite ongoing research on cancer (22). As a

result, oncological research has garnered public funding and global monetary investments to incentivize clinical investigators to pursue cancer research (101).

Despite the aforementioned increase in cancer-associated publications, a reduction in the number of publications was observed in 2021. A possible explanation for this is the outbreak of the novel COVID-19 that has impacted all types of research in various forms (102,103). Another potential explanation is the lack of funds required for research in general imposed by the severe socio-economic Lebanese crisis and political instability manifested by unprecedented rates of unemployment, inflation and poverty, and a rapid devaluation of the Lebanese currency since the beginning of 2021 (104,105).

Research on breast and colorectal cancer was found to be the most prevalent among that on all types of cancer, accounting for >30% of all cancer studies. This finding is not unexpected since, according to previous studies, these types of cancer were the most prevalent in Lebanon during the last 5 years (22,106). Unfortunately, research on breast and colorectal cancers decreased in 2022 since Lebanon was continuing to face a serious economic crisis with an effect on fiscal and human resources.

Reflecting upon the approaches to cancer research outlined in the present study, it is necessary to highlight several further recommendations. First, it is essential to conduct more research using real-life data in order to accurately assess the actual impact of research on cancer incidence, treatment, outcomes and prevention techniques. Additionally, there is a requirement for more clinical studies involving the users and beneficiaries of cancer research, such as patients and their families. It would be beneficial for these studies to involve a greater representation of individuals from real-world populations, with the development of a prospective study plan to establish specific targets for trial enrolment based on disease epidemiology and incidence. Moreover, it is crucial to allocate more robust, sustained and predictable funding for additional clinical and translational longitudinal molecular profiling studies in large and diverse cohorts of patients with cancer. This will aid in understanding the natural progression of cancers and exploring the role of biology and genetics in cancer health disparities. Furthermore, the national public health workforce should prioritize cancer control initiatives that aim to reduce the incidence, morbidity and mortality of cancer. These initiatives may also focus on improving the quality of life for individuals with cancer by implementing evidence-based interventions for prevention, early detection, diagnosis and treatment. Additionally, it is important to develop well-planned strategies to guide future cancer research.

## **7. Significance of the study and future implications for policy and practice**

The issue of cancer research studies being underrepresented or misrepresented is an important factor contributing to therapy delays and proactive measures are required to address this. The importance of the present review lies in its summary of the different cancer studies that were conducted in an academic university during a 5-year period. The review has shown that cancer research is an attractive topic for many academic researchers; however, the spread



of COVID-19 and the economic crisis had a major impact on this type of research, which might have contributed to a shift in study types towards more observational or *in vitro* studies as well as a remarkable reduction in research output, particularly after the spread of COVID-19 in 2020. From this perspective, it is essential to emphasize that researchers must re-focus their efforts on conducting studies associated with cancer, since cancer research should be recognized as one of the most prevalent health concerns, as is COVID-19. To develop new therapies, gain a deeper understanding of cancer prognosis and survivorship and ensure the availability of new drugs in all healthcare settings, a collaborative effort involving the diverse cancer research community in each country is necessary. Translational cancer research, particularly interventional or experimental human studies, is recommended to be an integral part of the delivery of oncology care, ensuring that valuable knowledge is gained in academic institutions and nationally. For this reason, policy proposals should be made to enhance access to digital healthcare, expand healthcare programs, allocate funds for experimental cancer research and provide financial support to healthcare institutions. Moreover, interventional studies that focus on anticancer therapy should be the primary interest of pharmaceutical companies as well as research centers since, according to the present results, only a few of these were conducted.

It is important to emphasize that the impact of cancer research can be amplified when organizations use a multidisciplinary approach, as demonstrated by the diversity of studies in the present review, which can guide and enhance future evaluations.

## 8. Conclusions

At present, scientists seldom contemplate an ultimate cure for cancer. However, further research on the short-term and long-term effects of current cancer therapies is necessary. For instance, efforts can be made to address the psychological and socioeconomic challenges faced by cancer patients during their treatment, or to find methods of mitigating the potential side effects experienced during therapy. By combining technological advancements with ongoing operational research, the field of oncology will be able to move on from the era when surgery and chemotherapy were the sole treatment options available.

## Acknowledgements

The authors would like to thank Professor Samer Saab (Dean of Graduate Studies, Lebanese American University Beirut, Lebanon) for their final revision of the manuscript and valuable comments.

## Funding

No funding was received.

## Availability of data and materials

Not applicable.

## Authors' contributions

NKS wrote the literature review, was responsible for the methodology and organized the findings. ST collected and analyzed data, designed and guided the study, and drafted and critically revised the final version of the manuscript. Data authentication is not applicable. Both authors have read and confirmed the final version of the manuscript.

## Ethics approval and consent to participate

Not applicable.

## Patient consent for publication

Not applicable.

## Competing interests

The authors declare that they have no competing interests.

## References

1. American Cancer Society. The global economic cost of cancer. <https://www.cdc.gov/cancer/dcpc/research/update-on-cancer-deaths/index.htm>. Accessed June 10, 2022.
2. American Association of Cancer Research. Retrieved from <https://www.aacr.org/patients-caregivers/about-cancer/what-is-cancer-research>. Accessed June 10, 2022.
3. Tsatsakis AM (ed): Toxicological risk assessment and multi-system health impacts from exposure. Academic Press, 2021.
4. International Cancer Research Partnership. Retrieved from <https://www.icrpartnership.org/>. Accessed June 10, 2022.
5. Siegel RL, Miller KD, Fuchs HE and Jemal A: Cancer statistics, 2022. *CA Cancer J Clin* 72: 7-33, 2022.
6. Cancer Research UK. Cancer risk statistics 2019. <https://www.cancerresearchuk.org/health-professional/cancer-statistics/risk>. Accessed May 20, 2022.
7. Taghizadehghalehjoughi A, Hacımuftuoğlu A, Cetin M, Ugur AB, Galateanu B, Mezhuiev Y, Okay U, Taspınar N, Taspınar M, Uyanik A, *et al*: Effect of metformin/irinotecan-loaded poly-lactic-co-glycolic acid nanoparticles on glioblastoma: in vitro and in vivo studies. *Nanomedicine (Lond)* 13: 1595-1606, 2018.
8. Bargahi N, Ghasemali S, Jahandar-Lashaki S and Nazari A: Recent advances for cancer detection and treatment by microfluidic technology, review and update. *Biol Proced Online* 24: 5, 2022.
9. Song C and Giovannucci E: Preventable incidence and mortality of carcinoma associated with lifestyle factors among white adults in the United States. *JAMA Oncol* 2: 1154-1161, 2016.
10. Chatila R, Mansour J, Mugharbil A, Nsouli G, O'Son L, Sayad E and Deeb ME: Epidemiology and survival of colorectal cancer in Lebanon: A sub-national retrospective analysis. *Cancer Control* 28: 10732748211041221, 2021.
11. Aaltonen L, Johns L, Järvinen H, Mecklin JP and Houlston R: Explaining the familial colorectal cancer risk associated with mismatch repair (MMR)-deficient and MMR-stable tumors. *Clin Cancer Res* 13: 356-361, 2007.
12. Karlitepe A, Ozalp O and Avci CB: New approaches for cancer immunotherapy. *Tumour Biol* 36: 4075-4078, 2015.
13. Gupta D, Bhattacharjee O, Mandal D, Sen MK, Dey D, Dasgupta A, Kazi TA, Gupta R, Sinharoy S, Acharya K, *et al*: CRISPR-Cas9 system: A new-fangled dawn in gene editing. *Life Sci* 232: 116636, 2019.
14. Weinstein IB and Case K: The history of cancer research: Introducing an AACR centennial series. *Cancer Res* 68: 6861-6862, 2008.
15. Richard S: BMJ blogs. Measuring research impact-all the rage but hard to get right. Godlee F (ed). <https://blogs.bmj.com/bmj/2018/07/30/richard-smith-measuring-research-impact-rage-hard-to-get-right/>. Accessed April 4, 2023.

16. Yabroff KR, Wu XC, Negoita S, Stevens J, Coyle L, Zhao J, Mumfhey BJ, Jemal A and Ward KC: Association of the COVID-19 pandemic with patterns of statewide cancer services. *J Natl Cancer Inst* 114: 907-990, 2022.
17. El Saghir NS, Ghanem H, El Karak F, Farhat F, Ghosn M, Makdassi J, Chouaib K, Debs J and Tabchy AB: Management of breast cancer patients with BRCA gene mutations in Lebanon of the Middle East: Perspectives and challenges. *Hosp Pract* (1995) 49: 325-329, 2021.
18. Elias A, Shebaby WN, Nehme B, Faour W, Bassil BS, Hakim JE, Iskandar R, Dib-Jalbout N, Mroueh M, Daher C and Taleb RI: In vitro and in vivo evaluation of the anticancer and anti-inflammatory activities of 2-himachelen-7-ol isolated from *Cedrus Libani*. *Sci Rep* 9: 12855, 2019.
19. Bahmad HF, Chalhoub RM, Harati H, Bou-Gharios J, Assi S, Ballout F, Monzer A, Msheik H, Araji T, Elajami MK, *et al*: Tideglusib attenuates growth of neuroblastoma cancer stem/progenitor cells in vitro and in vivo by specifically targeting GSK-3 $\beta$ . *Pharmacol Rep* 73: 211-226, 2021.
20. Tfayli A, Al Assaad M, Fakhri G, Akel R, Atwi H, Ghanem H, El Karak F, Farhat F, Al Rabi K, Sfeir P, *et al*: Neoadjuvant chemotherapy and Avelumab in early stage resectable nonsmall cell lung cancer. *Cancer Med* 9: 8406-8411, 2020.
21. Bray F, Laversanne M, Sung H, Ferlay J, Siegel RL, Soerjomataram I and Jemal A: Global cancer statistics 2022: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: a cancer journal for clinicians* 74, 229-263, 2024.
22. Republic of Lebanon Ministry of Public Health: National Cancer Registry. <https://moph.gov.lb/en/Pages/8/19526/national-cancer-registry>. Accessed May 16, 2022.
23. Baron S and Russell-Bennett R: Editorial: Beyond publish or perish: The importance of citations and how to get them. *J Serv Mark* 30: 257-260, 2016.
24. Jaafar R, Pereira V, Saab S and El-Kassar AN: Which journal ranking list? A case study in business and economics. *EuroMed J Bus* 16: 361-380, 2021.
25. Jayaraj R, Raymond G, Krishnan S, Tzou KS, Baxi S, Ram MR, Govind SK, Chandramoorthy HC, Abu-Khzam FN and Shaw P: Clinical theragnostic potential of diverse miRNA expressions in prostate cancer: A systematic review and meta-analysis. *Cancers (Basel)* 12: 1199, 2020.
26. Khalife H, Skafi N, Fayyad-Kazan M and Badran B: MicroRNAs in breast cancer: New maestros defining the melody. *Cancer Genet* 246-247: 18-40, 2020.
27. Elias-Rizk T, El Hajj J, Segal-Bendirdjian E and Hilal G: The long non coding RNA H19 as a biomarker for breast cancer diagnosis in Lebanese women. *Sci Rep* 10: 22228, 2020.
28. Khazzaka A, Rassy E, Sleiman Z, Boussios S and Pavlidis N: Systematic review of fetal and placental metastases among pregnant patients with cancer. *Cancer Treat Rev* 104: 102356, 2022.
29. Atat OE, Farzaneh Z, Pourhamzeh M, Taki F, Abi-Habib R, Vosough M and El-Sibai M: 3D modeling in cancer studies. *Hum Cell* 35: 23-36, 2022.
30. Sacca L, Maroun V and Khoury M: Predictors of high trust and the role of confidence levels in seeking cancer-related information. *Inform Health Soc Care* 47: 53-61, 2022.
31. Karam L, Abou Staiteieh S, Chaaban R, Hayar B, Ismail B, Neipel F, Darwiche N and Abou Merhi R: Anticancer activities of parthenolide in primary effusion lymphoma preclinical models. *Mol Carcinog* 60: 567-581, 2021.
32. Hoteit M, Oneissi Z, Reda R, Wakim F, Zaidan A, Farran M, Abi-Khalil E and El-Sibai M: Cancer immunotherapy: A comprehensive appraisal of its modes of application. *Oncol Lett* 22: 655, 2021.
33. Jaafar W, Zaherddine V, Hussein F, Saliba NA and Hayeck N: Poor regulation implications in a low and middle income country based on PAH source apportionment and cancer risk assessment. *Environ Sci Process Impacts* 23: 1986-1996, 2021.
34. Chaftari P, Qdaisat A, Chaftari AM, Maamari J, Li Z, Lupu F, Raad I, Hachem R, Calin G and Yeung SJ: Prognostic value of procalcitonin, C-reactive protein, and lactate levels in emergency evaluation of cancer patients with suspected infection. *Cancers (Basel)* 13: 4087, 2021.
35. Massoud M, Ikdaiss W, Zeghondy J and Saad A: Provision of lifestyle recommendations to cancer patients: Results of a nationally representative survey of hematologists/oncologists. *J Cancer Educ* 36: 702-709, 2021.
36. Alrubai T, Khalil AM, Zaki R, Sinno L and Al Tabbah S: The psychological health of patients diagnosed with cancer in Iraq during the COVID-19 pandemic: A single center study. *Psychooncology* 31: 649-660, 2022.
37. Khaled K, Hundley V, Bassil M, Bazzi M and Tsofliou F: Validation of the European prospective investigation into cancer (EPIC) FFQ for use among adults in Lebanon. *Public Health Nutr* 24: 4007-4016, 2021.
38. Al-Koussa H, El Mais N, Maalouf H, Abi-Habib R and El-Sibai M: Arginine deprivation: A potential therapeutic for cancer cell metastasis? A review. *Cancer Cell Int* 20: 150, 2020.
39. Diab S, Yu M and Wang S: CDK7 inhibitors in cancer therapy: The sweet smell of success? *J Med Chem* 63: 7458-7474, 2020.
40. Bechnak L, Khalil C, Kurdi RE, Khnayzer R and Patra D: Curcumin encapsulated colloidal amphiphilic block co-polymeric nanocapsules: Colloidal nanocapsules enhance photodynamic and anticancer activities of curcumin. *Photochem Photobiol Sci* 19: 1088-1098, 2020.
41. Hrusak O, Kalina T, Wolf J, Balduzzi A, Provenzi M, Rizzari C, Rives S, Del Pozo Carlavilla M, Alonso MEV, Domínguez-Pinilla N, *et al*: Flash survey on severe acute respiratory syndrome coronavirus-2 infections in paediatric patients on anticancer treatment. *Eur J Cancer* 132: 11-16, 2020.
42. Nassour C, Barton SJ, Nabhani-Gebara S, Saab Y and Barker J: Occurrence of anticancer drugs in the aquatic environment: A systematic review. *Environ Sci Pollut Res Int* 27: 1339-1347, 2020.
43. Mehanna S, Bodman-Smith K, Daher CF and Khnayzer RS: Rapid quantification of ruthenium(ii) polypyridyl anti-cancer drugs using a selective ligand dissociation LC-MS/MS method. *Anal Methods* 12: 4517-4525, 2020.
44. Assi R, Kotecki N and Awada A: Targeting molecular subtypes in solid cancers: Successes and failures. *Curr Opin Oncol* 32: 488-493, 2020.
45. El Baba N, Farran M, Khalil EA, Jaafar L, Fakhoury I and El-Sibai M: The role of Rho GTPases in VEGF signaling in cancer cells. *Anal Cell Pathol (Amst)* 2020: 2097214, 2020.
46. Doumit MAA, Rahi AC, Saab R and Majdalani M: Spirituality among parents of children with cancer in a Middle Eastern country. *Eur J Oncol Nurs* 39: 21-27, 2019.
47. Bar-Sela G, Schultz MJ, Elshamy K, Rassouli M, Ben-Arye E, Doumit M, Gafer N, Albashayreh A, Ghayeb I, Turker I, *et al*: Training for awareness of one's own spirituality: A key factor in overcoming barriers to the provision of spiritual care to advanced cancer patients by doctors and nurses. *Palliat Support Care* 17: 345-352, 2019.
48. Al Hageh C, Al Assaad M, El Masri Z, Samaan N, El-Sibai M, Khalil C and Khnayzer RS: A long-lived cuprous bis-phenanthroline complex for the photodynamic therapy of cancer. *Dalton Trans* 47: 4959-4967, 2018.
49. Moghnieh R, Kanafani ZA, Hanna PA, Matar MJ, Mokhbat J, Jradeh M, Yared N, Husni R, Abdallah D, Atoui R, *et al*: 2016 Lebanese society of infectious diseases and clinical microbiology guidelines on the management of febrile neutropenia in adult cancer patients in the ERA of growing antimicrobial resistance. *J Med Liban* 65: 63-82, 2017.
50. Doumit MAA and Khoury MN: Facilitating and hindering factors for coping with the experience of having a child with cancer: A Lebanese perspective. *J Psychosoc Oncol* 35: 346-361, 2017.
51. Abd El Razik HA, Mroueh M, Faour WH, Shebaby WN, Daher CF, Ashour HMA and Ragab HM: Synthesis of new pyrazolo[3,4-d]pyrimidine derivatives and evaluation of their anti-inflammatory and anticancer activities. *Chem Biol Drug Des* 90: 83-96, 2017.
52. Liu S, Abboud MI, John T, Mikhailov V, Hvinden I, Walsby-Tickle J, Liu X, Pettinati I, Cadoux-Hudson T, McCullagh JSO and Schofield CJ: Roles of metal ions in the selective inhibition of oncogenic variants of isocitrate dehydrogenase 1. *Commun Biol* 4: 1243, 2021.
53. Bar-Sela G, Schultz MJ, Elshamy K, Rassouli M, Ben-Arye E, Doumit M, Gafer N, Albashayreh A, Ghayeb I, Turker I, *et al*: Human development index and its association with staff spiritual care provision: A Middle Eastern oncology study. *Support Care Cancer* 27: 3601-3610, 2019.
54. Chemaly R, Diab S, Khazen G and Al-Hajj G: Gastroesophageal cancer after gastric bypass surgeries: A systematic review and meta-analysis. *Obes Surg* 32: 1300-1311, 2022.
55. Assouad E, El Hage S, Safi S, El Kareh A, Mokled E and Salameh P: Kidney cancer trends and risk factors in Lebanon: A 12-year epidemiological study. *Cancer Causes Control* 33: 303-312, 2022.

56. Swayden M, Bekdash A, Fakhoury I, El-Atat O, Borjac-Natour J, El-Sibai M and Abi-Habib RJ: Activation of autophagy following [HuArgI (Co)-PEG5000]-induced arginine deprivation mediates cell death in colon cancer cells. *Hum Cell* 34: 152-164, 2021.
57. Nader R, Tannoury E, Rizk T and Ghanem H: Atezolizumab-induced encephalitis in a patient with metastatic breast cancer: A case report and review of neurological adverse events associated with checkpoint inhibitors. *Autops Case Rep* 11: e2021261, 2021.
58. El-Mais N, Fakhoury I, Al Haddad M, Nohra S, Abi-Habib R and El-Sibai M: Human recombinant arginase I [HuArgI(Co)-PEG5000]-induced arginine depletion inhibits pancreatic cancer cell migration and invasion through autophagy. *Pancreas* 50: 1187-1194, 2021.
59. Khater AR and Abou-Antoun T: Mesenchymal epithelial transition factor signaling in pediatric nervous system tumors: Implications for malignancy and cancer stem cell enrichment. *Front Cell Dev Biol* 9: 654103, 2021.
60. Atallah D, Arab W, Dagher B, Khalil N, El Rawadi E, Atallah B, Ghaname W, El Kassis N, Chahine G and Moubarak M: Predictive factors of lymph node metastasis and pattern of reparation in patients with epithelial ovarian cancer. *Future Oncol* 17: 5093-5101, 2021.
61. El-Chami D, Al-Haddad M, Abi-Habib R and El-Sibai M: Recombinant anthrax lethal toxin inhibits cell motility and invasion in breast cancer cells through the dysregulation of Rho GTPases. *Oncol Lett* 21: 163, 2021.
62. Hilal L, Hakim A, El-Chediak A, Temraz S, Mukherji D, El-Husseini Z and Shamseddine A: Rectal cancer in patients younger than 40: Tumor characteristics and comparative survival based on a single institution. *Current Cancer Therapy Reviews* 17: 244-250, 2021.
63. Jaafar L, Fakhoury I, Saab S, El-Hajjar L, Abou-Kheir W and El-Sibai M: StarD13 differentially regulates migration and invasion in prostate cancer cells. *Hum Cell* 34: 607-623, 2021.
64. Fayad C, Audi H, Khnayzer RS and Daher CF: The anti-cancer effect of series of strained photoactivatable Ru(II) polypyridyl complexes on non-small-cell lung cancer and triple negative breast cancer cells. *J Biol Inorg Chem* 26: 43-55, 2021.
65. Khalil N and Abi-Habib RJ: [HuArgI (co)-PEG5000]-induced arginine deprivation leads to autophagy dependent cell death in pancreatic cancer cells. *Invest New Drugs* 38: 1236-1246, 2020.
66. Idriss M, Hodroj MH, Fakhoury R and Rizk S: Beta-tocotrienol exhibits more cytotoxic effects than gamma-tocotrienol on breast cancer cells by promoting apoptosis via a P53-independent PI3-kinase dependent pathway. *Biomolecules* 10: 577, 2020.
67. Nasreddine G, El-Sibai M and Abi-Habib RJ: Cytotoxicity of [HuArgI (co)-PEG5000]-induced arginine deprivation to ovarian cancer cells is autophagy dependent. *Invest New Drugs* 38: 10-19, 2020.
68. Bahmad HF, Elajami MK, El Zarif T, Bou-Gharios J, Abou-Antoun T and Abou-Kheir W: Drug repurposing towards targeting cancer stem cells in pediatric brain tumors. *Cancer Metastasis Rev* 39: 127-148, 2020.
69. El Joumaa MM, Taleb RI, Rizk S and Borjac JM: Protective effect of Matricaria chamomilla extract against 1,2-dimethylhydrazine-induced colorectal cancer in mice. *J Complement Integr Med* 17, 2020.
70. Tannous S, Haykal T, Dhaini J, Hodroj MH and Rizk S: The anti-cancer effect of flaxseed lignan derivatives on different acute myeloid leukemia cancer cells. *Biomed Pharmacother* 132: 110884, 2020.
71. Younes M, Ammoury C, Haykal T, Nasr L, Sarkis R and Rizk, S: The selective anti-proliferative and pro-apoptotic effect of A. Cherimola on MDA-MB-231 breast cancer cell line. *BMC Complement Med Ther* 20: 343, 2020.
72. Ghali RM, Mahjoub S, Zaied S, Bhiri H, Bahia W, Mahjoub T and Almawi WV: Association of genetic variants in NF-kB with susceptibility to breast cancer: A case control study. *Pathol Oncol Res* 25: 1395-1400, 2019.
73. Bahmad HF, Chamaa F, Assi S, Chalhoub RM, Abou-Antoun T and Abou-Kheir W: Cancer stem cells in neuroblastoma: Expanding the therapeutic frontier. *Front Mol Neurosci* 12: 131, 2019.
74. Al-Koussa H, Al-Haddad M, Abi-Habib R and El-Sibai M: Human recombinant arginase I [HuArgI (Co)-PEG5000]-induced arginine depletion inhibits colorectal cancer cell migration and invasion. *Int J Mol Sci* 20: 6018, 2019.
75. Henaine AM, Chahine G, Massoud M, Salameh P, Awada S, Lahoud N, Elias E, Salem M, Ballout S, Hartmann D, *et al*: Management of patients with metastatic colorectal cancer in Lebanese hospitals and associated direct cost: A multicentre cohort study. *East Mediterr Health J* 25: 481-494, 2019.
76. Cianci S, Rumolo V, Rosati A, Scaletta G, Alletti SG, Cerentini TM, Sleiman Z, Lordelo P, Angerame D, Garganese G, *et al*: Sarcopenia in ovarian cancer patients, oncologic outcomes revealing the importance of clinical nutrition: Review of literature. *Curr Pharm Des* 25: 2480-2490, 2019.
77. Abou Najem S, Khawaja G, Hodroj MH and Rizk S: Synergistic effect of epigenetic inhibitors decitabine and suberoylanilide hydroxamic acid on colorectal cancer in vitro. *Curr Mol Pharmacol* 12: 281-300, 2019.
78. El-Amm J and Aragon-Ching JB: The current landscape of treatment in non-metastatic castration-resistant prostate cancer. *Clin Med Insights Oncol* 13: 1179554919833927, 2019.
79. Hoter A, Rizk S and Naim HY: The multiple roles and therapeutic potential of molecular chaperones in prostate cancer. *Cancers (Basel)* 11: 1194, 2019.
80. Al Saud N, Jabbour S, Kechichian E, Aderian SS, Boccara D, Nasr M, El Hachem L and Mimoun M: A systematic review of zosteriform rash in breast cancer patients: An objective proof of flap reinnervation and a management algorithm. *Ann Plast Surg* 81: 456-461, 2018.
81. Bedoui SA, Barbirou M, Stayoussef M, Dallel M, Mokrani A, Makni L, Mezlini A, Bouhaouala B, Yacoubi-Loueslati B and Almawi WY: Association of interleukin-17A polymorphisms with the risk of colorectal cancer: A case-control study. *Cytokine* 110: 18-23, 2018.
82. Ghali RM, Al-Mutawa MA, Al-Ansari AK, Zaied S, Bhiri H, Mahjoub T and Almawi WY: Differential association of ESR1 and ESR2 gene variants with the risk of breast cancer and associated features: A case-control study. *Gene* 651: 194-199, 2018.
83. Al Hassan M, Fakhoury I, El Masri Z, Ghazale N, Dennaoui R, El Atat O, Kanaan A and El-Sibai M: Metformin treatment inhibits motility and invasion of glioblastoma cancer cells. *Anal Cell Pathol (Amst)* 2018: 5917470, 2018.
84. Nader R, El Amm J and Aragon-Ching JB: Role of chemotherapy in prostate cancer. *Asian J Androl* 20: 221-229, 2018.
85. Daaboul HE, Daher CF, Bodman-Smith K, Taleb RI, Shebaby WN, Boulos J, Dagher C, Mroueh MA and El-Sibai M: Antitumor activity of  $\beta$ -2-himachalen-6-ol in colon cancer is mediated through its inhibition of the PI3K and MAPK pathways. *Chem Biol Interact* 275: 162-170, 2017.
86. Abou-Antoun TJ, Hale JS, Lathia JD and Dombrowski SM: Brain cancer stem cells in adults and children: Cell biology and therapeutic implications. *Neurotherapeutics* 14: 372-384, 2017.
87. Najar M, Fayyad-Kazan H, Faour WH, Badran B, Journe F and Lagneaux L: Breast cancer cells and bone marrow mesenchymal stromal cells: A regulated modulation of the breast tumor in the context of immune response. *Inflamm Res* 66: 129-139, 2017.
88. Salem C, Atallah D, Safi J, Chahine G, Haddad A, El Kassis N, Maalouly LM, Moubarak M, Dib M and Ghossain M: Breast density and breast cancer incidence in the lebanese population: results from a retrospective multicenter study. *Biomed Res Int* 2017: 7594953, 2017.
89. El-Amm J, Nassabein R and Aragon-Ching JB: Impact of abiraterone on patient-related outcomes in metastatic castration-resistant prostate cancer: Current perspectives. *Cancer Manag Res* 9: 299-306, 2017.
90. Shebaby WN, Mroueh MA, Boukamp P, Taleb RI, Bodman-Smith K, El-Sibai M and Daher CF: Wild carrot pentane-based fractions suppress proliferation of human HaCaT keratinocytes and protect against chemically-induced skin cancer. *BMC Complement Altern Med* 17: 36, 2017.
91. Centre for Reviews & Dissemination. Systematic Reviews: CRD's Guidance for Undertaking Reviews in Healthcare. University of York, York, UK pp 78-108, 2008.
92. Dang D, Dearholt S, Bissett K, Ascenzi J and Whalen M: Johns Hopkins evidence-based practice for nurses and healthcare professionals: Model and guidelines. 4th ed. Sigma Theta Tau International, 2022.
93. Cekanova M and Rathore K: Animal models and therapeutic molecular targets of cancer: Utility and limitations. *Drug Des Devel Ther* 8: 1911-1921, 2014.
94. Ferreira D, Adegas F and Chaves R: The importance of cancer cell lines as in vitro models in cancer methylome analysis and anticancer drugs testing. *InTech*, 2013.



95. Godskesen T, Hansson MG, Nygren P, Nordin K and Kihlborn U: Hope for a cure and altruism are the main motives behind participation in phase 3 clinical cancer trials. *Eur J Cancer Care (Engl)* 24: 133-141, 2015.
96. Hanna CR, Boyd KA and Jones RJ: Evaluating cancer research impact: Lessons and examples from existing reviews on approaches to research impact assessment. *Health Res Policy Sys* 19: 36, 2021.
97. Boutros P and Fakih A: Drivers of Research Outcomes in Developing Countries: The Case of Lebanon. *Economie* 10: 58, 2022.
98. LAU website. <https://dira.lau.edu.lb/images/Factbook%202017-2018%20-General%20Information.pdf>. Accessed May 30, 2023.
99. Haffar D: LAU strategy yields a marked rise in research output. 2022. <https://news.lau.edu.lb/2022/lau-strategy-yields-a-marked-rise-in-research-output.php#:~:text=In%20terms%20of%20quality%2C%20LAU,over%20the%20past%2025%20years>. Accessed May 30, 2022.
100. Mattiuzzi C and Lippi G: Current cancer epidemiology. *J Epidemiol Glob Health* 9: 217-222, 2019.
101. Cancer Research UK: Current Clinical Trial Research. <https://www.cancerresearchuk.org/our-research-by-cancer-topic/our-clinical-trial-research/current-clinical-trial-research>. Accessed May 30, 2022.
102. Dabin K: Our mutual fiends: Cancer Research in a time of COVID-19. *Interface Focus* 11: 20210052, 2021.
103. Janowitz T and Tuveson DA: The era of COVID-19 and the rise of science collectivism in cancer research. *Cancer Discov* 10: 913-915, 2020.
104. Bizri AR, Khachfe HH, Fares MY and Musharrafieh U: COVID-19 pandemic: An insult over injury for Lebanon. *J Community Health* 46: 487-493, 2021.
105. Bouri E, Cepni O, Gabauer D and Gupta R: Return connectedness across asset classes around the COVID-19 outbreak. *Int Rev Fin Anal* 73: 101646, 2020.
106. Fares MY, Salhab HA, Khachfe HH and Khachfe HM: Breast cancer epidemiology among Lebanese women: An 11-year analysis. *Medicina (Kaunas)* 55: 463, 2019.



Copyright © 2024 Tawil and Khaddage-Soboh.  
This work is licensed under a Creative Commons  
Attribution-NonCommercial-NoDerivatives 4.0  
International (CC BY-NC-ND 4.0) License.