

Table SVIII. The list of genes with significant differences in prognosis.

Gene	P-value	HR	Low 95%CI	High 95%CI
AADAC	0.004	0.937	0.897	0.979
ACOT13	0.001	0.893	0.837	0.954
ACSM1	0.042	0.604	0.372	0.982
ACSM4	0.047	12.838	1.029	160.200
AOC1	0.009	0.989	0.982	0.997
B3GALT1	0.022	1.146	1.020	1.287
BGN	0.032	1.001	1.000	1.001
CALM1	0.001	0.987	0.980	0.995
CEMIP	0.050	1.025	1.000	1.050
CMBL	0.048	0.980	0.961	1.000
CYP24A1	0.036	1.061	1.004	1.122
CYP2R1	0.022	0.868	0.769	0.980
CYP2S1	0.040	1.011	1.001	1.021
CYP4F22	0.001	1.192	1.075	1.322
D2HGDH	0.034	1.042	1.003	1.082
DSE	0.011	1.177	1.039	1.334
GGT7	0.006	1.018	1.005	1.031
GLCE	0.038	1.037	1.002	1.073
GPC1	0.013	1.015	1.003	1.027
GSTK1	0.049	0.994	0.987	1.000
HPGDS	0.006	1.223	1.060	1.411
HSPG2	0.005	1.013	1.004	1.021
LYVE1	0.011	1.045	1.010	1.082
ME1	0.010	0.894	0.822	0.973
NUPL2	0.039	0.941	0.889	0.997
PDK4	0.004	1.038	1.012	1.066
PDP1	0.002	1.065	1.023	1.108
PRPS2	0.024	0.985	0.972	0.998
PTGIS	0.008	1.016	1.004	1.028
PYGB	0.004	1.016	1.005	1.026
SEH1L	0.044	0.914	0.838	0.998
SLC37A4	0.048	0.961	0.923	1.000
SLC9A1	0.037	1.035	1.002	1.069
SULT1A2	0.001	0.706	0.570	0.874
SULT4A1	0.010	1.214	1.048	1.406
TPMT	0.002	0.962	0.939	0.986
UGT2B17	0.004	1.018	1.006	1.030
UST	0.013	1.129	1.026	1.243
VCAN	0.014	1.020	1.004	1.036