

Table SI. SAEs following oral anticancer drugs.

SAE	Cytotoxic drug treatment (n)	Molecular target drug treatment (n)
Dizziness	1	0
Facial paralysis exacerbated	1	0
Hypoglycemia	1	0
Infusion reaction	1	0
Intramuscular hematoma	1	0
Mucosal disorders	1	0
Pharyngeal candida	1	0
Cellulitis	0	1
Conjunctival hemorrhage	0	1
Fatigue	0	1
Herpes zoster	0	1
Hypercalcemia	0	1
Melena	0	1
Thrombosis	0	1
Vomiting	0	1
Weight loss	0	1

SAE, severe adverse effects.

Table SII. Unplanned patient consultations following oral anticancer drug treatment.

Symptom	Cytotoxic drug treatment (n)	Molecular target drug treatment (n)
Hiccups	1	1
Dehydration	1	0
Dizziness	1	0
Enteritis	1	0
Epigastric pain	1	0
Hyperpigmentation	1	0
Nasal mucositis	1	0
Peripheral nerve infection	1	0
Upper respiratory tract inflammation	1	0
Bleeding	0	1
Bloody stool	0	1
Chest pain	0	1
Cold	0	1
Constipation	0	1
Gingivitis	0	1
Heart failure	0	1
Hypertension	0	1
Hypothyroidism	0	1
Pruritus	0	1