

Table SI. List of the top 20 commonly upregulated differentially expressed genes after Bcl2l10-knockdown in SKOV3 or A2780 cells ranked based on FC.

Rank	SKOV3		A2780	
	Genes	log ₂ FC	Genes	log ₂ FC
1	TPM4	2.48	TPM4	1.87
2	ZNF702P	2.30	OGFR	1.81
3	MED11	2.11	ZNF267	1.79
4	FIGNL2	1.99	GEMIN8P4	1.73
5	EMC6	1.87	ZNF702P	1.65
6	ZNF765	1.69	LMTK3	1.65
7	ZNF845	1.67	EMC6	1.56
8	OGFR	1.66	FIGNL2	1.54
9	HABP4	1.65	COL23A1	1.51
10	BICD2	1.65	BICD2	1.44
11	GEMIN8P4	1.61	OGFR-AS1	1.39
12	LMTK3	1.54	MED11	1.38
13	COL23A1	1.52	FOXP4	1.35
14	FOXP4	1.49	ZSCAN29	1.35
15	MESDC2	1.44	ZNF845	1.25
16	OGFR-AS1	1.44	RAD23A	1.25
17	VOPP1	1.44	NOLC1	1.22
18	NOLC1	1.39	CSK	1.21
19	ZNF721	1.29	ZNF765	1.20
20	ZNF415	1.29	MESDC2	1.17

FC, fold-change; Bcl2l10, Bcl-2-like-10.

Table SII. List of the top 20 commonly downregulated differentially expressed genes after Bcl2l10-knockdown in SKOV3 or A2780 cells ranked based on FC.

Rank	SKOV3		A2780	
	Genes	log ₂ FC	Genes	log ₂ FC
1	ELOVL4	-3.17	IL32	-3.31
2	SDHD	-2.98	SLC25A18	-2.97
3	SWAP70	-2.80	ELOVL4	-2.54
4	EIF4G2	-2.76	TP53INP1	-2.36
5	FERMT2	-2.76	LIN7C	-2.24
6	ATP6V1D	-2.74	CLIC4	-2.23
7	ENOPH1	-2.70	ACSL5	-2.02
8	SNORD97	-2.66	PEG10	-2.01
9	ACER2	-2.61	FZD1	-1.99
10	PAQR3	-2.55	WRB	-1.98
11	TP53INP1	-2.51	SDHD	-1.97
12	IDH1	-2.51	MIEF2	-1.93
13	IL6ST	-2.43	ARL6IP5	-1.90
14	MXI1	-2.40	CD164	-1.89
15	CD164	-2.25	ENOPH1	-1.82
16	TRIM14	-2.24	LCLAT1	-1.76
17	RHOA	-2.14	PLGLB2	-1.68
18	WRB	-2.11	EIF4G2	-1.67
19	SERINC3	-2.06	PAQR3	-1.66
20	NUDT15	-2.05	ACER2	-1.63

FC, fold-change; Bcl2l10, Bcl-2-like-10.