

Figure S1. Reverse transcription-quantitative PCR-based expression of long non-coding RNAs detected in >50% of samples.




Table SI. Biological function of lncRNAs detected in more than 85% breastmilk samples.

lncRNA ID	Function	(Refs.)	
EBP41L4A-AS1	Metabolic programming (glycolysis and glutaminolysis)	(1)	
	P-53 regulated	(1)	
GAS5	Riborepressor regulating glucocorticoid receptor (GR)	(2)	
	Normal growth arrest of T cells and non-transformed lymphocytes	(3)	
	Macrophage polarization	(4)	
LINC00094	BBB permeability	(5)	
	Lies in promoter of BRD3 gene	(6)	
	Related with a high risk of spontaneous preterm delivery	(7)	
	Oncogenic (cancer hallmarks)	(8)	
	Cell growth	(9)	
LINC00657	Maintaining genome stability (guardian of the human genome)	(10)	
	Regulates DNA repair and replication, mitosis and mitochondrial homeostasis	(11-14)	
	Regulates nuclear translocation and signal transduction	(15)	
LINC00667	Apoptosis	(16)	
	Renal fibrosis	(16)	
	Upregulation of FOXQ1	(1)	
SNHG16	Wnt-regulated	(17)	
	Associated with polysomes	(17)	
	Lipid metabolism	(17)	
SNHG5	Activates wnt/ $\beta$ -catenin and GSK3 $\beta$ pathway	(18)	
	ceRNA	(18)	
ZFAS1	Differentiation	(19)	
	Inhibitor of Ca <sup>2+</sup> ATPase and Ca <sup>2+</sup> overload	(19)	
	Mitochondria mediated apoptosis	(19)	
	Regulation NOTCH3 (neural development)	(20)	
	Regulation of Wnt/ $\beta$ -catenin pathway	(21)	
CRNDE	IL-6R activation	(22)	
	NOTCH1 upregulation	(23)	
	Cyclin D1 regulation	(24)	
	Glucose and lipid metabolism	(25)	
	Regulated by insulin and insulin-like growth factors	(25)	
	Multiple splice variants	(26)	
	Normal developmental properties	(26)	
	Cellular multipotency	(26)	
	DANCR	Negative regulator of cell differentiation	(27)
		Competing endogenous RNA	(27)
IL-6 and TNF- $\alpha$ expression regulation in blood mononuclear		(27)	
mTOR regulation		(28)	
Stem cell differentiation and cell proliferation		(29)	
mRNA stabilization		(29)	
IL-11-mediated activation of Jak/STAT3 signaling		(29)	
Wnt/ $\beta$ -catenin activation		(30)	
LRRC75A-AS1		Regulated by oxidative stress	(31)
		Accelerates cellular senescence and triggers pro-inflammatory cytokine release from senescent cells	(31)
	Upregulated in in placentas of women with preterm labor	(31)	
RN7SK	Neuronal differentiation	(32)	
	Cellular senescence	(33)	
	Macrophage polarization and innate immune responses	(4)	
SNORA73A	Steroid synthesis	(34)	
	The most enriched small nucleolar RNA in the cytoplasm of granulosa cells	(34)	

lncRNA, long non-coding RNA.

Table SII. Upregulated lncRNAs detected in &gt;50% of samples.

LncRNA ID	Mean $\Delta$ cq preterm ( $\pm$ SD)	Mean $\Delta$ cq full-term ( $\pm$ SD)	Sample no.	Log <sub>2</sub> fold change	P-value
LRRC37BP1	5.80 ( $\pm$ 2.64)	6.87 ( $\pm$ 0.57)	5/20	1.076	0.333
LL22NC03-N27C7.1	6.23 ( $\pm$ 0.39)	7.00 ( $\pm$ 0.83)	7/20	0.777	0.081
CROCCP2	7.47 ( $\pm$ 3.31)	8.22 ( $\pm$ 1.32)	13/20	0.755	0.297
LRRC75A-AS1	2.90 ( $\pm$ 0.65)	3.62 ( $\pm$ 0.95)	17/20	0.713	0.045
RP11-363G2.4	8.54 ( $\pm$ 1.46)	9.00 ( $\pm$ 1.57)	16/20	0.466	0.277
SRA1	5.81 ( $\pm$ 1.74)	6.19 ( $\pm$ 0.82)	13/20	0.376	0.312
DANCR	5.51 ( $\pm$ 1.17)	5.77 ( $\pm$ 0.85)	18/20	0.256	0.299
RP11-84C13.1	7.56 ( $\pm$ 1.90)	7.79 ( $\pm$ 1.40)	16/20	0.228	0.394
LINC00667	5.84 ( $\pm$ 1.55)	6.06 ( $\pm$ 1.30)	18/20	0.221	0.373
MEG3	9.01 ( $\pm$ 1.30)	9.19 ( $\pm$ 1.45)	10/20	0.184	0.419
LINC00094	6.17 ( $\pm$ 1.42)	6.25 ( $\pm$ 0.94)	19/20	0.080	0.443
RP1-239B22.5	8.20 ( $\pm$ 1.96)	8.27 ( $\pm$ 2.30)	9/20	0.066	0.484
OIP5-AS1	5.93 ( $\pm$ 1.80)	5.93 ( $\pm$ 0.61)	13/20	0.003	0.498

lncRNA, long non-coding RNA.

Table SIII. Downregulated lncRNAs detected in &gt;50% of samples.

lncRNA ID	Mean $\Delta$ cq preterm ( $\pm$ SD)	Mean $\Delta$ cq full-term ( $\pm$ SD)	Sample no.	Log <sub>2</sub> fold change	P-value
JPX	7.78 ( $\pm$ 1.96)	5.53 ( $\pm$ 1.90)	8/20	-2.247	0.089
NEAT1	6.88 ( $\pm$ 3.18)	5.21 ( $\pm$ 0.96)	5/20	-1.665	0.234
CTC-444N24.11	6.61 ( $\pm$ 0.57)	5.09 ( $\pm$ 2.21)	15/20	-1.521	0.048
HCG18	6.58 ( $\pm$ 1.36)	5.35 ( $\pm$ 0.71)	9/20	-1.234	0.086
AC000120.7	8.27 ( $\pm$ 2.50)	7.06 ( $\pm$ 1.21)	13/20	-1.213	0.157
NUTM2A-AS1	7.66 ( $\pm$ 1.76)	6.47 ( $\pm$ 0.91)	8/20	-1.183	0.128
MZF1-AS1	8.09 ( $\pm$ 1.40)	6.92 ( $\pm$ 1.59)	7/20	-1.164	0.217
CRNDE	3.35 ( $\pm$ 1.00)	2.20 ( $\pm$ 1.83)	20/20	-1.144	0.052
LINC00657	3.78 ( $\pm$ 0.61)	2.79 ( $\pm$ 1.44)	19/20	-0.996	0.034
FGD5-AS1	6.30 ( $\pm$ 1.27)	5.32 ( $\pm$ 0.96)	14/20	-0.981	0.065
RP11-498C9	8.74 ( $\pm$ 1.82)	7.84 ( $\pm$ 1.64)	12/20	-0.892	0.199
CTD-3185P2.1	9.39 ( $\pm$ 0.93)	8.53 ( $\pm$ 2.12)	5/20	-0.860	0.334
HCG11	6.80 ( $\pm$ 1.94)	5.99 ( $\pm$ 1.34)	11/20	-0.807	0.229
RP11-399K21.11	10.77 ( $\pm$ 0.38)	10.01 ( $\pm$ 1.27)	5/20	-0.759	0.208
HOTAIR	9.52 ( $\pm$ 1.27)	8.77 ( $\pm$ 1.55)	11/20	-0.746	0.208
TUG1	7.33 ( $\pm$ 1.59)	6.65 ( $\pm$ 0.74)	5/20	-0.686	0.282
SNHG5	1.49 ( $\pm$ 0.57)	0.86 ( $\pm$ 1.79)	20/20	-0.629	0.156
SNORA73A	6.73 ( $\pm$ 1.88)	6.12 ( $\pm$ 1.77)	17/20	-0.617	0.251
LINC00662	7.51 ( $\pm$ 1.07)	6.90 ( $\pm$ 3.26)	16/20	-0.610	0.324
ZFAS1	1.78 ( $\pm$ 0.76)	1.24 ( $\pm$ 1.09)	20/20	-0.541	0.108
PSMA3-AS1	7.45 ( $\pm$ 1.42)	6.93 ( $\pm$ 0.97)	12/20	-0.526	0.249
NCBP2-AS2	5.16 ( $\pm$ 0.61)	4.68 ( $\pm$ 1.10)	15/20	-0.477	0.167
SNHG16	4.55 ( $\pm$ 0.60)	4.13 ( $\pm$ 0.78)	20/20	-0.413	0.102
ABCA11P	7.68 ( $\pm$ 0.35)	7.27 ( $\pm$ 1.10)	7/20	-0.409	0.295
RP11-819C21.1	8.14 ( $\pm$ 1.92)	7.88 ( $\pm$ 2.77)	9/20	-0.259	0.437
GAS5	1.64 ( $\pm$ 1.92)	1.39 ( $\pm$ 1.55)	20/20	-0.251	0.376
EBP41L4A-AS1	5.61 ( $\pm$ 0.99)	5.44 ( $\pm$ 1.63)	19/20	-0.169	0.393
RP11-282018.3	8.75 ( $\pm$ 1.95)	8.67 ( $\pm$ 1.22)	15/20	-0.076	0.464
RP11-473M20.16	8.34 ( $\pm$ 1.93)	8.27 ( $\pm$ 1.21)	13/20	-0.075	0.467
RN7SK	4.89 ( $\pm$ 1.24)	4.84 ( $\pm$ 1.12)	17/20	-0.047	0.468
LINC00116	6.14 ( $\pm$ 0.88)	6.13 ( $\pm$ 0.73)	16/20	-0.016	0.485

Table SIV. lncRNAs positively and negatively correlated with *NORAD* levels in breastmilk-derived exosomes.

LncRNA ID	R value	P-value
CTC-444N24.11	0.654	1.77E-03
GAS5	0.524	1.77E-02
CRNDE	0.477	3.36E-02
SNHG5	0.386	9.27E-02
ZFAS1	0.295	2.07E-01
HCG11	0.293	2.09E-01
SNHG16	0.094	6.92E-01
NCBP2-AS2	0.066	7.83E-01
MEG3	-0.065	7.87E-01
HOTAIR	-0.073	7.60E-01
DANCR	-0.572	8.39E-03
LINC00667	-0.583	7.00E-03
RP11-498C9	-0.605	4.73E-03
RP11-282018.3	-0.615	3.93E-03
RP11-473M20.16	-0.616	3.86E-03
LINC00094	-0.617	3.77E-03
RP11-84C13.1	-0.665	1.39E-03
SNORA73A	-0.693	7.04E-04
CROCCP2	-0.790	3.40E-05

## Supplementary references

1. Liao M, Liao W, Xu N, Li B, Liu F, Zhang S, Wang Y, Wang S, Zhu Y, Chen D, *et al*: LncRNA EPB41L4A-AS1 regulates glycolysis and glutaminolysis by mediating nucleolar translocation of HDAC2. *EBioMedicine* 41: 200-213, 2019.
2. Gharesouran J, Taheri M, Sayad A, Ghafouri-Fard S, Mazdeh M and Omrani MD: The growth arrest-specific transcript 5 (GAS5) and nuclear receptor subfamily 3 group C member 1 (NR3C1): Novel markers involved in multiple sclerosis. *Int J Mol Cell Med* 7: 102-110, 2018.
3. Mourtada-Maarabouni M, Hedge VL, Kirkham L, Farzaneh F and Williams GT: Growth arrest in human T-cells is controlled by the non-coding RNA growth-arrest-specific transcript 5 (GAS5). *J Cell Sci* 121: 939-946, 2008.
4. Ahmad I, Valverde A, Naqvi RA and Naqvi AR: Long non-coding RNAs RN7SK and GAS5 regulate macrophage polarization and innate immune responses. *Front Immunol* 11: 604981, 2020.
5. Zhu L, Lin M, Ma J, Liu W, Gao L, Wei S, Xue Y and Shang X: The role of LINC00094/miR-224-5p (miR-497-5p)/endophilin-1 axis in memantine mediated protective effects on blood-brain barrier in AD microenvironment. *J Cell Mol Med* 23: 3280-3292, 2019.
6. Postnikova OA, Rogozin IB, Samuel W, Nudelman G, Babenko VN, Poliakov E and Redmond TM: Volatile evolution of long non-coding RNA repertoire in retinal pigment epithelium: Insights from comparison of bovine and human RNA expression profiles. *Genes (Basel)* 10: 205, 2019.
7. Zhou G, Holzman C, Chen B, Wang P, Heng YJ, Kibschull M, Lye SJ and Kasten EP: EBF1-correlated long non-coding RNA transcript levels in 3rd trimester maternal blood and risk of spontaneous preterm birth. *Reprod Sci* 28: 541-549, 2021.
8. Wang QY, Peng L, Chen Y, Liao LD, Chen JX, Li M, Li YY, Qian FC, Zhang YX, Wang F, *et al*: Characterization of super-enhancer-associated functional lncRNAs acting as ceRNAs in ESCC. *Mol Oncol* 14: 2203-2230, 2020.
9. Chen X, Xu J, Zeng F, Yang C, Sun W, Yu T, Zhang H and Li Y: Inferring cell subtypes and LncRNA function by a cell-specific CeRNA network in breast cancer. *Front Oncol* 11: 656675, 2021.
10. Tichon A, Gil N, Lubelsky Y, Havkin Solomon T, Lemze D, Itzkovitz S, Stern-Ginossar N and Ulitsky I: A conserved abundant cytoplasmic long noncoding RNA modulates repression by pumilio proteins in human cells. *Nat Commun* 7: 12209, 2016.
11. Tichon A, Perry RB, Stojic L and Ulitsky I: SAM68 is required for regulation of pumilio by the NORAD long noncoding RNA. *Genes Dev* 32: 70-78, 2018.
12. Kopp F, Elguindy MM, Yalvac ME, Zhang H, Chen B, Gillett FA, Lee S, Sivakumar S, Yu H, Xie Y, *et al*: Pumilio hyperactivity drives premature aging of Norad-deficient mice. *Elife* 8: e42650, 2019.
13. Lee S, Kopp F, Chang TC, Sataluri A, Chen B, Sivakumar S, Yu H, Xie Y and Mendell JT: Noncoding RNA NORAD regulates genomic stability by sequestering pumilio proteins. *Cell* 164: 69-80, 2016.
14. Munschauer M, Nguyen CT, Sirokman K, Hartigan CR, Hogstrom L, Engreitz JM, Ulirsch JC, Fulco CP, Subramanian V, Chen J, *et al*: The NORAD lncRNA assembles a topoisomerase complex critical for genome stability. *Nature* 561: 132-136, 2018.
15. Kawasaki N, Miwa T, Hokari S, Sakurai T, Ohmori K, Miyauchi K, Miyazono K and Koinuma D: Long noncoding RNA NORAD regulates transforming growth factor- $\beta$  signaling and epithelial-to-mesenchymal transition-like phenotype. *Cancer Sci* 109: 2211-2220, 2018.
16. Huang P, Gu XJ, Huang MY, Tan JH and Wang J: Down-regulation of LINC00667 hinders renal tubular epithelial cell apoptosis and fibrosis through miR-34c. *Clin Transl Oncol* 23: 572-581, 2021.
17. Christensen LL, True K, Hamilton MP, Nielsen MM, Damas ND, Damgaard CK, Ongen H, Dermitzakis E, Bramsen JB, Pedersen JS, *et al*: SNHG16 is regulated by the Wnt pathway in colorectal cancer and affects genes involved in lipid metabolism. *Mol Oncol* 10: 1266-1282, 2016.
18. Li Y, Guo D, Zhao Y, Ren M, Lu G, Wang Y, Zhang J, Mi C, He S and Lu X: Long non-coding RNA SNHG5 promotes human hepatocellular carcinoma progression by regulating miR-26a-5p/GSK3 $\beta$  signal pathway. *Cell Death Dis* 9: 888, 2018.
19. Jiao L, Li M, Shao Y, Zhang Y, Gong M, Yang X, Wang Y, Tan Z, Sun L, Xuan L, *et al*: lncRNA-ZFAS1 induces mitochondria-mediated apoptosis by causing cytosolic Ca<sup>2+</sup> overload in myocardial infarction mice model. *Cell Death Dis* 10: 942, 2019.
20. Yin Q, He M, Huang L, Zhang X, Zhan J and Hu J: lncRNA ZFAS1 promotes ox-LDL induced EndMT through miR-150-5p/Notch3 signaling axis. *Microvasc Res* 134: 104118, 2021.
21. Han P, Li JW, Zhang BM, Lv JC, Li YM, Gu XY, Yu ZW, Jia YH, Bai XF, Li L, *et al*: The lncRNA CRNDE promotes colorectal cancer cell proliferation and chemoresistance via miR-181a-5p-mediated regulation of Wnt/ $\beta$ -catenin signaling. *Mol Cancer* 16: 9, 2017.
22. David A, Zocchi S, Talbot A, Choisy C, Ohnona A, Lion J, Cucchini W, Soulier J, Arnulf B, Bories JC, *et al*: The long non-coding RNA CRNDE regulates growth of multiple myeloma cells via an effect on IL6 signalling. *Leukemia* 35: 1710-1721, 2021.
23. Li Z, Tang Y, Xing W, Dong W and Wang Z: LncRNA, CRNDE promotes osteosarcoma cell proliferation, invasion and migration by regulating Notch1 signaling and epithelial-mesenchymal transition. *Exp Mol Pathol* 104: 19-25, 2018.
24. Huan J, Xing L, Lin Q, Xui H and Qin X: Long noncoding RNA CRNDE activates Wnt/ $\beta$ -catenin signaling pathway through acting as a molecular sponge of microRNA-136 in human breast cancer. *Am J Transl Res* 9: 1977, 2017.
25. Ellis BC, Graham LD and Molloy PL: CRNDE, a long non-coding RNA responsive to insulin/IGF signaling, regulates genes involved in central metabolism. *Biochim Biophys Acta* 1843: 372-386, 2014.
26. Ellis BC, Molloy PL and Graham LD: CRNDE: A long non-coding RNA involved in Cancer, neurobiology, and development. *Front Genet* 3: 270, 2012.
27. Tong X, Gu PC, Xu SZ and Lin XJ: Long non-coding RNA-DANCR in human circulating monocytes: A potential biomarker associated with postmenopausal osteoporosis. *Biosci Biotechnol Biochem* 79: 732-737, 2015.
28. Lu QC, Rui HH, Guo ZL, Xie W, Shan S and Ren T: LncRNA-DANCR contributes to lung adenocarcinoma progression by sponging miR-496 to modulate mTOR expression. *J Cell Mol Med* 22: 1527-1537, 2018.
29. Chen Z, Chen X, Xie R, Huang M, Dong W, Han J, Zhang J, Zhou Q, Li H, Huang J and Lin T: DANCR promotes metastasis and proliferation in bladder cancer cells by enhancing IL-11-STAT3 Signaling and CCND1 expression. *Mol Ther* 27: 326-341, 2019.
30. Li J and Zhou L: Overexpression of lncRNA DANCR positively affects progression of glioma via activating Wnt/ $\beta$ -catenin signaling. *Biomed Pharmacother* 102: 602-607, 2018.
31. Jiang J, Hu H, Chen Q, Zhang Y, Chen W, Huang Q, Chen X, Li J and Zhong M: Long non-coding RNA SNHG29 regulates cell senescence via p53/p21 signaling in spontaneous preterm birth. *Placenta* 103: 64-71, 2021.
32. Bazi Z, Bertacchi M, Abasi M, Mohammadi-Yeganeh S, Soleimani M, Wagner N and Ghanbarian H: Rn7SK small nuclear RNA is involved in neuronal differentiation. *J Cell Biochem* 119: 3174-3182, 2018.
33. Musavi M, Kohram F, Abasi M, Bolandi Z, Ajoudanian M, Mohammadi-Yeganeh S, Hashemi SM, Sharifi K, Fathi HR and Ghanbarian H: Rn7SK small nuclear RNA is involved in cellular senescence. *J Cell Physiol* 234: 14234-14245, 2019.
34. Toms D, Pan B, Bai Y and Li J: Small RNA sequencing reveals distinct nuclear microRNAs in pig granulosa cells during ovarian follicle growth. *J Ovarian Res* 14: 54, 2021.