

Table SI. Primer sequences used for quantitative PCR.

Gene	Forward primer (5'-3')	Reverse primer (5'-3')
Circ_0000515	CCTTTGCCGGAGCTTGGAACA	CTCTGGCCCTAGTCTCAGACCTTC
Circ_0000517	AGGTGAGTTCCCAGAGAACG	CTCAGGGAGAGCCCTGTTAG
Circ_0000520	GGGAAGGTCTGAGACTAGG	ATGGGAGTGGAGTGACAG
Circ_0000514	GAGCTTGGAACAGACTCACGG	ATCTCCTGCCCAGTCTGACCT
Circ_0011385	ATCCGAGCCAGATTGACAACAA	ACAGCCGAATTGGTCTTGAGAA
Circ_0055033	GAAGTCCTGCATCGAAATTCTAGC	AGAGCCTGAAAGCCGTCATTC
Circ_0072088	TGCTCTACGCCACGCTAAGT	CTGAACTGCCTGTAACTCCTCTTC
Circ_0003528	CAGCTTACCGTTCTTCAGTCTTAA	TCAGTGGATGGTGTGTCATGTGTATA
Circ_0008514	TGGACCGATTGGGCATAGCA	TTCCTTACAAGTTCAGTGGCATCT
GAPDH	GACCACAGTCCATGCCATCAC	ACGCCTGCTTCACCACCTT
Circ, circular RNA.		