

Table SI. Simple clinicopathological information of patients with lung adenocarcinoma.

Characteristics	Cases
Age (yrs)	
>60	33
≤60	27
Sex	
Male	26
Female	34
Clinical Stage	
I	29
II	15
III	16

Table SII. Primer sequences for all reverse transcription-quantitative PCR reactions.

Name	Direction	Sequence (5'-3')
hsa_circ_0043278	Left primer	TGTTTGCATCTACCCTGCTG
	Right primer	CCAATTTCCAAAGCCACAGT
hsa_circ_0006220	Left primer	TGTTTGCATCTACCCTGCTG
	Right primer	CACTCCTCCTTGGTCTTGGT
hsa_circ_0072088	Left primer	ATGGTCTGCAGTCCTGTGTG
	Right primer	TGGTGGCATGTTTTGTCATT
hsa_circ_0001666	Left primer	TCAAGATGTCACCAGCACCT
	Right primer	CTTGCAAACCTCTCACACCC
FAM120B	Left primer	CTTTTACGGCAGCTGGGATC
	Right primer	CCTGGCCCAGTGTCTTTAGA
TADA2A-0006220L	Left primer	TAGCCAATCAAATGTGCACCA
	Right primer	AGTGAAATGGAATGGCTGTGT
TADA2A-0043278L	Left primer	TTCCTGTCCTTGATCCCAGC
	Right primer	TGTTTCAGGTCAGCAGGGT
ZFR	Left primer	AAAGGAGTTTTGCGAGTGGG
	Right primer	ATTGCCGCTTCAGATACAGC
GAPDH	Left primer	CGCTGAGTACGTCGTGGAGTC
	Right primer	GCTGATGATCTTGAGGCTGTTGTC

Table SIII. Sequences for siRNAs.

siRNAs	Sequence (5'-3')
si-h-hsa_circ_0001666	GATGACCATTCAGATCCT
si-h-hsa_circ_0072088	CTGGCCCTTACGTCGTCCT
si-h-hsa_circ_0006220	TTCCATTTCAGGCAGGAT

siRNA, small interfering.