

Table SI. Primer sequences.

Primer	Forward	Reverse
T-bet	TGCCCCTGAACCTACAGTCACGAAC	AGTGACCTCGCCTGGTGAAATG
GATA3	GGAGGACTTCCCAAGAGCA	CATGCTGGAAGGGTGGTGA
ROR γ t	TACCTTGGCCAAAACAGAGG	GATGCCTGGTTTCCTCAAAA
FoxP3	GGCCCTTCTCCAGGACAGA	GCTGATCATGGCTGGGTTGT
TGF- β 1	ACCATGCCAACTTCTGTCTG	CGGGTTGTGTTGGTTGTAGA
IL-6	AGACTTCCATCCAGTTGCCTTCTTG	GCCTCCGACTTGTGAAGTGGTATAG
IL-23	TGGCATCGAGAAACTGTGAGA	TCAGTTCGTATTGGTAGTCCTGTTA
STAT3	CCAAGTTCATCTGTGTGACACC	ATCGGCAGGTCAATGGTATTGC
GAPDH	CTGGTGCTGCCAAGGCTGTG	TCTCCAGGCGGCACGTCAG

Table SII. Thermocycling conditions.

Hold Stage	95°C	30 sec
PCR Stage: 40 cycles	95°C	15 sec
	60°C	1 min
Melt Curve Stage	95°C	15 sec
	60°C	1 min
	95°C	15 sec