

Table SI. Primers sequences used in the present study.

		Sequence
GR	Forward	5'-GCAGCGAAGATTTGGTTG-3'
	Reverse	5'-GTGAAACTGCTTTGGACAGA-3'
GAPDH	Forward	5'-ACCCACTCCTCCACCTTTGAC-3'
	Reverse	5'-TGTGCTGTAGCCAAATTCGTT-3'
miR-24-2p	RT	5'-GTCGTATCCAGTGCAGGGTCC GAGGTATTCGCACTGGATA CGACCTGTTC-3'
	Forward	5'-GGCTCAGTTCAGCAGGAACA-3'
miR-30a-5p	Reverse	5'-GTGCAGGGTCCGAGGT-3'
	RT	5'-GTCGTATCCAGTGCAGGGTCC GAGGTATTCGCACTGGATACG ACCTTCCA-3'
miR-370-5p	Forward	5'-CGTGTAACATCCTCGACTGGAAG-3'
	Reverse	5'-GTGCAGGGTCCGAGGT-3'
miR-370-5p	RT	5'-GTCGTATCCAGTGCAGGGTCCG AGGTATTCGCACTGGATACGA CGTAACTG-3'
	Forward	5'-CAGGTCACGTCTCTGCAGTTAC-3'
U6snRNA	Reverse	5'-GTGCAGGGTCCGAGGT-3'
	Forward	5'-ATTGCAACGATACAGAGAAGATT-3'
	Reverse	5'-GGAACGCTTCACGAATTTG-3'

GR, glucocorticoid Receptor; miR, microRNA; RT: reverse transcription