

Table SI. Sequences of PCR primers used in the study.

Primer	Sequence
Nrf2 (Human)	Forward, 5'-CACATCCAGTCAGAAACCAGTGG-3'; Reverse, 5'-GGAATGTCTGCGCCAAAAGCTG-3'
HO-1 (Human)	Forward, 5'-AAGACTGCGTTCCTGCTCAAC-3'; Reverse, 5'-AAAGCCCTACAGCAACTGTCTG-3'
NLRP3 (Human)	Forward, 5'-GGACTGAAGCACCTGTTGTGCA-3'; Reverse, 5'-TCCTGAGTCTCCCAAGGCATTC-3'
Caspase-1 (Human)	Forward, 5'-GCTGAGGTTGACATCACAGGCA-3'; Reverse, 5'-TGCTGTCAGAGGTCTTGTGCTC-3'
ASC (Human)	Forward, 5'-AGCTCACCGCTAACGTGCTGC-3'; Reverse, 5'-GCTTGGCTGCCGACTGAGGAG-3'
GSDMD (Human)	Forward, 5'-ATGAGGTGCCTCCACAACCTCC-3'; Reverse, 5'-CCAGTTCCTTGGAGATGGTCTC-3'
GAPDH (Human)	Forward, 5'-CTCCTCCTGTTTCGACAGTCAGC-3'; Reverse, 5'-CCCAATACGACCAAATCCGTT-3'