

Table SI. Primer sequences used for RT-qPCR.

Gene	Forward primer (5'-3')	Reverse primer (5'-3')
<i>Sod1</i>	GGTGAACCAGTTGTGTTGTCAGG	ATGAGGTCCTGCACTGGTACAG
<i>Gstp1</i>	TGGAAGGAGGAGGTGGTTACCA	GGTAAAGGGTGAGGTCTCCATC
<i>Nlrp3</i>	TCACAACCTCGCCCAAGGAGGAA	AAGAGACCACGGCAGAAGCTAG
<i>Il1b</i>	TGGACCTTCCAGGATGAGGACA	GTTTCATCTCGGAGCCTGTAGTG
<i>Pycard/Asc</i>	CTGCTCAGAGTACAGCCAGAAC	CTGTCCTTCAGTCAGCACACTG
<i>Wt1</i>	GGTTTTCTCGCTCAGACCAGCT	ATGAGTCCTGGTGTGGGTCTTC
<i>Cdkn1a</i>	TCGCTGTCTTGCACTCTGGTGT	CCAATCTGCGCTTGGAGTGATAG
<i>Gapdh</i>	CATCACTGCCACCCAGAAGACTG	ATGCCAGTGAGCTTCCCGTTCAG